



Smart solutions.
Strong relationships.

LED Product Explorer

New **LED** Lighting.
Illuminates our space.



gen//LED

Crompton Greaves Limited



Smart solutions.
Strong relationships.

General Notes Applicable For All Luminaires

- ALP indicates Authorised List Price. Prices lower than these may be charged. Taxes and local levies as applicable will be extra.
- MRP is the Maximum Retail Price. Product can not be sold above the MRP prices mentioned.
- Prices are inclusive of excise duty at the prevailing rates. Any statutory variation will be to dealer's / purchaser's account.
- The products in this pricelist are subject to the discounts as per the prevailing trade policy from time to time.
- Please contact the nearest sales office for details.
- Normal trade policy dose not apply on LED Landscape, Fael Luce luminaries in Industrial, Streetlight & Floodlight section.
- Items other than those included in the price list are withdrawn from the range.
- All fixtures will be supplied as per our normal specifications available at the nearest branch. For any additional features, please contact the nearest branch for revised pricing.
- This price list supercedes all our earlier price lists.
- Prices are subject to change without prior notice.
- Normal discount policy is not applicable on Sensors & Lighting Management Systems.

CARE HAS BEEN TAKEN TO ENSURE THAT THE INFORMATION CONTAINED WITHIN IS CORRECT. HOWEVER, OWING TO CONTINUOUS INNOVATIONS AND IMPROVEMENTS THE ACTUAL PRODUCT WHEN SUPPLIED, MAY DIFFER FROM THE DETAILS GIVEN HEREIN.

PHOTOGRAPHS SHOWN HEREIN ARE INDICATIVE. PLEASE CHECK WITH NEAREST SALES OFFICE FOR THE ACTUAL PRODUCT.

CROMPTON GREAVES LIMITED RESERVES THE RIGHTS TO MAKE CHANGES IN THE DATA/DETAILS WITHOUT PRIOR NOTICE.

Authorised Trade Partner

ARION1



- High efficiency direct/Indirect recessed LED Luminaire.
- Provided with high transmittance, micro linear frosted (MLF) PMMA curved diffuser.
- Suitable for 600 mm x 600 mm modular POP/GYPSUM ceiling.

CAT. REF.
LCTAR1-40-CDL

ALP(₹)
11000/-

ARION2

- High efficiency direct/Indirect recessed LED Luminaire.
- Provided with high transmittance, micro linear frosted (MLF) PMMA curved diffuser.
- Suitable for 600 mm x 600 mm modular POP/GYPSUM ceiling.

CAT. REF.
LCTAR2-40-CDL

ALP(₹)
11000/-



ORION



- New generation recessed LED Luminaire for modern offices.
- Recessed LED tile provided with high transmittance polycarbonate diffuser.
- For 600 x 600 mm modular/POP/Gypsum ceiling.

CAT REF.
LCTLR-34-FO-CDL

ALP(₹)
11500/-

ORION*

- Decorative recessed LED full output Luminaire for modern offices.
- Recessed full output LED tile with high transmittance diffuser to provide high LOR & soft glare free light.

CAT REF.
LCTLR-36-FO-CDL
LCTLR-50-FO-CDL

ALP(₹)
12500/-
14600/-



ORION*



- Recessed high efficiency LED Luminaire for modern offices with CRCA powder coated body.
- New generation high transmittance diffuser to provide high LOR & soft glare free light.

CAT REF.
LCTLR-36-CDL
LCTLS-36-CDL

ALP(₹)
9900/-
10200/-

ORION*

- Recessed high efficiency luminaire.
- Provided with high efficiency polycarbonate diffuser
- Soft glare free light
- Suitable for 300 mm x 300 mm modular POP/GYPSUM ceiling.

CAT REF.
LCTLR-18-FO-CDL
LCTLS-18-FO-CDL

ALP(₹)
6350/-
6450/-



* Extra frame is to be ordered for POP/Gypsum ceiling mounted version.

HELIOS



- LED downlight with spun Aluminum reflector
- PMMA diffuser to provide soft glare free light

CAT. REF.	ALP(₹)
LCDV-06-CDL	3350/-
LCDV-10-CDL	4100/-
LCDV-12-CDL	6400/-
LCDV-18-CDL	7400/-

HELIOS

- LED downlight with sand blasted Aluminum reflector
- PMMA diffuser to provide uniform soft glare free light
- Dimming option also available.

CAT. REF.	ALP(₹)
LCDH-20-CDL	8700/-
LCDH-30-CDL	11350/-
LCDH-20-CDL-DIM	12000/-



ORBIT LED



- Ceiling mounted decorative energy saving LED luminaire.
- Opal diffuser for soft light.

CAT. REF.	ALP(₹)
LCDS-08-CDL	2950/-
LCDS-14-CDL	6500/-

AURA I

- High lumen output suspended LED slim panel.
- Provided with satin finish side rim
- Size : 2x2

CAT REF.	ALP(₹)
LCPL-36-CDL(2x2)	12800/-
LCPL-36-TL(2x2)	12800/-
LCPL-48-TL(2x2)	ON REQUEST



AURA II



- High lumen output suspended LED slim panel.
- Provided with satin finish side rim
- Size : 1x4

CAT REF.	ALP(₹)
LCPL-36-CDL(1x4)	13200/-
LCPL-36-TL(1x4)	13200/-

AVANCER

- Decorative suspended slim LED luminaire for office lighting
- Provided with extruded aluminum satin finish rim
- Supplied with suspension system

CAT REF.	ALP(₹)
LCS-45-CDL	ON REQUEST



SPARK



- ✓ Recessed mounted footlight 1.2W spot LED Foot Light
- ✓ Die case Aluminum body in electrostatic powder coating
- ✓ CCT-3000K, 70 Lm
- ✓ **CAT. REF.** **ALP(₹)**
- LGFR-1.2-W 2100/-

CROM LED15

- ✓ Recessed mounted LED Round downlighter
- ✓ Die cast Aluminum housing
- ✓ High efficiency diffuser to provide good quality light

CAT. REF.	MRP(₹)
LCDD-12-CDL/WW	2350/-
LCDD-15-CDL/WW	2500/-
LCDD-18-CDL/WW	2750/-



SQUARE CROM

- ✓ Recessed mounted LED Square downlighter
- ✓ Die cast Aluminum housing
- ✓ High efficiency diffuser to provide good quality light

CAT REF.	MRP(₹)
LSDD-12-CDL/WW	2350/-
LSDD-15-CDL/WW	2500/-
LSDD-18-CDL/WW	2750/-



PEARL ROUND

- ✓ Round shape surface mounted slim LED panel
- ✓ Powder coated white finished housing

CAT REF.	MRP(₹)
LCDSPL-R-06-CDL	1650/-
LCDSPL-R-12-CDL	2150/-
LCDSPL-R-18-CDL	2650/-



PEARL SQUARE

- ✓ Square shape surface mounted slim LED panel
- ✓ Powder coated white finished housing

CAT REF.	MRP(₹)
LCDSPL-S-06-CDL	1650/-
LCDSPL-S-12-CDL	2150/-
LCDSPL-S-18-CDL	2650/-



GANNET ROUND

- ✓ Round shaped slim recessed mounted LED panel
- ✓ Diecast housing finished in white powder coating.
- ✓ Also available in surface mounted version.

CAT. REF.	MRP(₹)
LSDRM-24-CDL/WW	3300/-



Normal discount policy not applicable,
Please contact local CG representative for price details.

SPARK



- ✓ Recessed mounted footlight 1.2W spot LED Foot Light
- ✓ Die case Aluminum body in electrostatic powder coating
- ✓ CCT-3000K, 70 Lm
- ✓ **CAT. REF.** **ALP(₹)**
LGFR-1.2-W 2100/-

CROM LED15

- ✓ Recessed mounted LED Round downlighter
- ✓ Die cast Aluminum housing
- ✓ High efficiency diffuser to provide good quality light

CAT. REF.	MRP(₹)
LCDD-12-CDL/WW	2350/-
LCDD-15-CDL/WW	2500/-
LCDD-18-CDL/WW	2750/-



SQUARE CROM

- ✓ Recessed mounted LED Square downlighter
- ✓ Die cast Aluminum housing
- ✓ High efficiency diffuser to provide good quality light

CAT REF.	MRP(₹)
LSDD-12-CDL/WW	2350/-
LSDD-15-CDL/WW	2500/-
LSDD-18-CDL/WW	2750/-



PEARL ROUND

- ✓ Round shape surface mounted slim LED panel
- ✓ Powder coated white finished housing

CAT REF.	MRP(₹)
LCDSPL-R-06-CDL	1650/-
LCDSPL-R-12-CDL	2150/-
LCDSPL-R-18-CDL	2650/-



PEARL SQUARE

- ✓ Square shape surface mounted slim LED panel
- ✓ Powder coated white finished housing

CAT REF.	MRP(₹)
LCDSPL-S-06-CDL	1650/-
LCDSPL-S-12-CDL	2150/-
LCDSPL-S-18-CDL	2650/-



GANNET ROUND

- ✓ Round shaped slim recessed mounted LED panel
- ✓ Diecast housing finished in white powder coating.
- ✓ Also available in surface mounted version.

CAT. REF.	MRP(₹)
LSDRM-24-CDL/WW	3300/-



CYGNUS I



- 5W MR16 LED lamp with separate driver
- 36 degree beam angle
- Die cast aluminum body in silver finish

CAT. REF. **MRP(₹)**
LMR5W36-WW# 800/-

CYGNUS II

- 5W GU10 MR16 LED lamp with driver,
- 36 degree beam angle,
- Die cast aluminum body in silver finish

CAT. REF.
LGU5W36-WW#

MRP(₹)
830/-



- Round recess mounted Spot Light
- CMC Aluminum body with Ivory White powder Coating finish
- COB LED CCT3000K, 520 Lm, 86mm Dia.

CAT. REF. **ALP(₹)**
LGSR-07-W 3150/-

- Square Shape recess mounted Spot light
- CMC Aluminum body with Ivory White powder Coating finish,
- COB LED 3000K, 520 Lm, 86mm Dia.

CAT. REF.
LGSS-07-W

ALP(₹)
3250/-



- Round recess mounted Projected out tiltable spot light
- CMC Aluminum body with Ivory White powder Coating finish
- COB LED Spotlight CCT 3000K, 710 Lm, 90mm Dia.

CAT REF.: **ALP(₹)**
LGSR-10-W 4550/-

- Round tiltable CMC Aluminum body Spot light
- Ivory White powder Coating finish
- COB LED CCT 3000K, 155mm Dia, 1330 Lm

CAT REF.
LGSR-18-W

ALP(₹)
8575/-



Normal discount policy not applicable,
Please contact local CG representative for price details.



- ✔ Round Recess mounted Spot Light
- ✔ Aluminum body with Ivory White finish
- ✔ COB LED CCT 3000K, 130mm Dia, 1330 Lm
- ✔ **CAT. REF.** **ALP(₹)**
LGSR-20-W 7650/-

- ✔ Round Recess mounted Spot Light
- ✔ Aluminum body with Ivory White finish
- ✔ COB LED CCT 3000K, 130mm Dia, 1330 Lm
- ✔ **CAT. REF.** **ALP(₹)**
LGSR1-20-W 7700/-



- ✔ Round surface mounted Down Light
- ✔ CMC Aluminum body with Ivory White powder Coating finish,
- ✔ COB LED CCT 3000K, 150mm Dia, 1700 Lm
- ✔ **CAT. REF.** **ALP(₹)**
LGSRS-23-W 9300/-

- ✔ Rectangle recessed multiple LED Down Light
- ✔ CRCA body powder coated in White
- ✔ COB LED CCT 3000K, 1480 Lm
- ✔ Dimension L-130 W-230 H-100mm
- ✔ **CAT. REF.** **ALP(₹)**
LGSS-20-W 9300/-



- ✔ LED Track light suitable for 1 mtr track
- ✔ Powder Coated in white finish provided with track
- ✔ COB LED CCT 3000K, 1330 Lm
- ✔ **CAT REF.:** **ALP(₹)**
LGTS-18-W 12850/-

- ✔ Surface mounted Round Spot Light
- ✔ CRCA body powder coated in White
- ✔ COB LED CCT 3000K, 520 Lm
- ✔ **CAT REF.** **ALP(₹)**
LGSSR-7-W 5400/-





- ✔ Suspend mounted Spot Light
- ✔ CRCA body powder coated in White
- ✔ COB LED CCT 3000K, 740 Lm

✔ **CAT. REF.** **ALP(₹)**
LGSUSR-10-W 6000/-

- ✔ Surface mounted Tilttable Spot Light
- ✔ CRCA body powder coated in White
- ✔ COB LED CCT 3000K, 520 Lm
- ✔ **CAT. REF.**
LGSTR-7-W

ALP(₹)
4400/-



- ✔ Ceiling hanged, LED Emergency Exit Signage Luminaire.
- ✔ Unique re-chargeable Ni-Cd battery capable of Emergency back-up upto 2 hours.

✔ **CAT. REF.** **ALP(₹)**
LSSR2C 11500/-

- ✔ Recessed, LED Emergency Exit Signage Luminaire.
- ✔ Unique re-chargeable Ni-Cd battery capable of Emergency back-up upto 5 hours
- ✔ **CAT. REF.**
LSSR5R

ALP(₹)
11900/-



- ✔ Wall-mounted, LED Emergency Exit Signage Luminaire.
- ✔ Unique re-chargeable Ni-Cd battery capable of Emergency back-up upto 5 hours.


✔ **CAT. REF.** **ALP(₹)**
LSSR5W 11900/-

- ✔ Surface-mounted, LED Emergency Exit Signage Luminaire.
- ✔ Unique re-chargeable Ni-Cd battery capable of Emergency back-up upto 3 hours.
- ✔ **CAT. REF.**
LSS3RS

ALP(₹)
9500/-



EMERGENCY LIGHT WITH BATTERY BACKUP



- Portable emergency light
- Automatically switches - ON, on mains power failure
- CAT. REF.** **ALP(₹)**
LEPR1R 9500/-


BEETLE

- LED Strip for Indoor & Outdoor with Driver
- Colour Blue/Warm White/RGB, in 5 meter per box

CAT. REF.	MRP(₹)
LST20BL/WW	1850/-
LST65BL/WW	2325/-
LST20RGB	2575/-
LST65RGB	2950/-



ACQUA#



- Round shape slim recessed/surface LED panel.
- Die cast housing finish in white powder coating
- Colour changing in CDL/BLUE
- Also available in Square Shape
- CAT. REF.** **MRP(₹)**
LCRA-18 3000/-
LCSA-18 3000/-

CLEANLUX - LED CLEAN ROOM & HEALTH CARE LUMINAIRES

- Recessed top opening LED clean room luminaire, Suitable for Walkable-Metal/RCC ceiling
- Variable mounting studs as per depth of ceiling
- IP 65 Protection, UV resistant & polycarbonate cover

CAT REF.	ALP(₹)
LTRP40CL22CD	ON REQUEST
LTRP50CL22CD	ON REQUEST
LTRP60CL22CD	ON REQUEST



CLEANLUX



- Recessed bottom opening LED clean room luminaire, Suitable for Walkable-Metal/RCC ceiling
- IP 65 Protection, UV resistant & polycarbonate cover
- CAT REF.** **ALP(₹)**
LBRP40CL22CD ON REQUEST
LBRP50CL22CD ON REQUEST
LBRP60CL22CD ON REQUEST

CLEANLUX

- Surface mounted LED clean room luminaire, Suitable for Walkable-Metal/RCC ceiling
- IP 65 Protection, UV resistant & polycarbonate cover

CAT REF.	ALP(₹)
LBSP40CL22CD	ON REQUEST
LBSP50CL22CD	ON REQUEST
LBSP60CL22CD	ON REQUEST



Normal discount policy not applicable,
Please contact local CG representative for price details.

PLATINUM BAY



- Technically most advanced LED highbay available in market.
 - Equipped Synjet Technology for active cooling
 - COB LED with optics for better uniform distribution.
- | | |
|------------------|---------------|
| CAT. REF. | ALP(₹) |
| LHBB-90-CDL | 40000/- |
| LHBB-90-CDL-NB | 43500/- |
| LHBB-90-CDL-MB | 43500/- |

GALAXY-I

- Pressure Die cast LED highbay with inbuilt control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP 66 Protection for both COB LED & driver compatement.

CAT. REF.
LHBBX-90-CDL

ALP(₹)
38000/-



GALAXY-II



- Pressure Die cast LED highbay with inbuilt control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP 66 Protection for Light engine & driver IP67

CAT. REF.
LHBBX-150-CDL
LHBBX-180-CDL

ALP(₹)
58500/-
62000/-

VETRO

- Pressure Die cast LED wellglass with control gear housing.
- Heat resistant toughened glass to provide better lighting
- IP 65 Protection

CAT REF.
LWV-36-CDL

MRP(₹)
13200/-



- Industrial luminaire with polycarbonate housing
- Pre-coated in white & pre-wired for LED tube
- IP 66 protection
- Available in single & double lamp housing.

CAT REF.:
IPFC111LT8-16
IPFC112LT8-16

ALP(₹)
2670/-
3210/-

- Industrial Box type luminaire with CRCA body.
- Pre-coated in white & pre-wired for LED tube
- Available in single & double lamp housing.

CAT REF.:
IGP131LT8-16
IGP132LT8-16

ALP(₹)
700/-
800/-



ISHAN



- Pressure diecast Aluminum light engine
- IP 66 protection for light engine.
- Built in reflector with extruded aluminum body
- Better optics for uniform distribution.

CAT. REF.
LSTBXI-90-CDL

ALP(₹)
48000/-

ISHAN

- Pressure diecast Aluminum light engine
- IP 66 protection for light engine.
- Built in reflector with extruded aluminum body
- Better optics for uniform distribution.

CAT. REF.
LSTBXI-180-CDL

ALP(₹)
92000/-



SUDARSHAN



- Pressure Diecast Aluminum Housing
- IP 65 protection.
- Built in reflector for better uniformity
- Additional LED rim light provided for better aesthetics.

CAT. REF.
LSTBXK-100-CDL/B

ALP(₹)
59000/-

STARLET#

- Sleek aesthetically designed pressure die cast Aluminum body
- Toughened glass & IP 65 protection
- Better optics for uniform distribution.

CAT REF.
LSTA2-40-CDL
LSTA2-115-CDL

MRP(₹)
39270/-
94520/-



FREEDOM



- Pressure die cast aluminum housing
- Heat resistance toughened glass.
- IP 65 protection
- Better optics for uniform distribution.

CAT REF.:
LSTO-25-CDL

ALP(₹)
7800/-

NEXUS+

- Pressure die cast aluminum housing
- Heat resistance toughened glass with frame.
- IP 66 protection
- Better optics for uniform distribution.

CAT REF.:
LSTO-30-CDL
LSTO-45-CDL
LSTO-60-CDL

ALP(₹)
15300/-
19000/-
21000/-



OLYMPUS



- Pressure die cast aluminum housing
- Heat resistance toughened glass. IP 66 protection
- Better optics for uniform distribution.

CAT REF.:	ALP(₹)
LSTO-72-CDL	26900/-
LSTO-90-CDL	34050/-

OLYMPUS

- Pressure die cast aluminum housing
- Heat resistance toughened glass. IP 66 protection
- Better optics for uniform distribution.

CAT REF.:	ALP(₹)
LSTO-120-CDL	38100/-
LSTO-135-CDL	47500/-



OLYMPUS+



- Pressure die cast aluminum housing
- Heat resistance toughened glass. IP 66 protection
- Better optics for uniform distribution.

CAT REF.:	ALP(₹)
LSTO-150-CDL	ON REQUEST
LSTO-165-CDL	ON REQUEST
LSTO-215-CDL	ON REQUEST

LED - POST TOP & BOLLARD LUMINAIRES

PLANET

- Sleek aesthetically designed luminaire for street lighting purpose IP 65 protected
- Sensor based for higher energy saving
- Resistant to impact and corrosion. Glare-free and good light uniformity.

CAT REF.	ALP(₹)
LSTB5-40-T	ON REQUEST
LSTB5-65-T	ON REQUEST



ORCHID



- Decorative posttop for garden & landscape lighting
- IP 65 protection
- Resistant to impact and corrosion. Glare-free and good light uniformity.

CAT. REF.	ALP(₹)
LPTSB-30-T	66300/-
LPTSB-70-T	84300/-
LPTSB-85-CDL	ON REQUEST

SHINE

- LED Decorative Post-Top for illuminating the street.
- Housing made of die-casting aluminum.
- Electro-statically applied polyester powder coat finish.
- Resistant to impact and corrosion. Glare-free and good light uniformity. IP 65 protection

CAT REF.:	ALP(₹)
LPTOD-60-CDL	ON REQUEST
LPTOD-90-CDL	ON REQUEST



Normal discount policy not applicable, Please contact local CG representative for price details.

MAPLE



- Decorative Post top for 360° indirect light
- IP 65 protection
- Resistant to impact and corrosion. Glare-free and better uniformity.

CAT. REF. **ALP(₹)**
LPTO-40/CDL 22500/-

- Decorative indirect posttop for garden & landscape lighting
- IP 65 protection
- Resistant to impact and corrosion. Glare-free and better uniformity.
- CAT. REF.**
LPTOI-45-T 45500/-
LPTOI-60-T 58000/-



ASTER



- Decorative posttop for garden & landscape lighting
- IP 65 protection
- Resistant to impact and corrosion. Glare-free and good light uniformity.

CAT. REF. **ALP(₹)**
LPTSA-30-T 58250/-
LPTSA-70-T 74500/-
LPTSA-85-CDL 84500/-

LIARA

- Inverted pyramid tripod type led bollard with soft 360° light
- IP 65 protection, Resistant to corrosion
- Better optics for uniform distribution.
- CAT REF.**
LBLS1-10-CDL 12000/-



UNO



- Die cast tiltable warm white colour led bollard
- IP 65 protection
- Resistant to corrosion

CAT REF.: **ALP(₹)**
LLBSU1-8-WW 11700/-


DUO

- Die cast tiltable warm white colour led bollard
- IP 65 protection
- Resistant to corrosion
- CAT REF.:**
LLBSU2-16-WW 14000/-



Normal discount policy not applicable,
Please contact local CG representative for price details.

TRISHA #



- ✔ Pressure die cast housing with PC diffuser.
- ✔ Suitable for garden and pathway lighting.
- ✔ IP 65 protection, Resistant to impact

CAT. REF.	ALP(₹)
LBLM06WW	7000/-
LBLM06WW/WM	5400/-

SIRISHA #

- ✔ Pressure die cast housing with PC diffuser.
- ✔ Suitable for garden and pathway lighting.
- ✔ IP 65 protection, Resistant to impact

CAT. REF.
LBLMS06WW
LBLM06SWW/WM

ALP(₹)
7000/-
5825/-



DISHA #



- ✔ Pressure die cast housing with Glass diffuser.
- ✔ Suitable for Monument & Bush lighting.
- ✔ IP 65 protection, Resistant to impact

CAT. REF.	ALP(₹)
LFLM18WW	14000/-

CROCUS #

- ✔ Oval housing and diffuser made up of polycarbonate
- ✔ IP 66 protection
- ✔ Resistant to impact

CAT REF.
LWOM10WW/HO
LWOM10WW/FO

ALP(₹)
5450/-
5450/-



GALAX #



- ✔ Housing and diffuser made up of polycarbonate
- ✔ IP66 protection.
- ✔ Resistant to impact

CAT REF.	ALP(₹)
LWRM12W	6525/-

AQUA #

- ✔ Underwater Light
- ✔ IP 68 protection
- ✔ Better optics for uniform distribution.

CAT REF.:
LUWH2-07-T
LUWH2-07-RGB

ALP(₹)
ON REQUEST
ON REQUEST



Normal discount policy not applicable,
Please contact local CG representative for price details.

ORIANA



- Pressure die cast housing with IP 65 protection
- Efficient high output COB LED for better LOR
- Applicable for hoardings & Architectural Lighting
- CAT. REF.** **ALP(₹)**
LFLK-30-CDL 14500/-

QUORUM

- Pressure die cast housing with IP 65 protection
- Efficient high output emitter LED for better distribution
- Applicable for area lighting.
- CAT. REF.** **ALP(₹)**
LFL-45-CDL ON REQUEST
LFL-60-CDL ON REQUEST



QUORUM



- Pressure die cast housing with IP 65 protection
- Efficient high output emitter LED for better distribution
- Applicable for area lighting.
- CAT. REF.** **ALP(₹)**
LFL-72-CDL ON REQUEST
LFL-90-CDL ON REQUEST

ACHILLES

- Pressure die cast housing with IP 65 protection
- Efficient high output COB LED for better LOR
- Applicable for hoardings & Area Lighting
- CAT. REF.** **ALP(₹)**
LFBX11-50-CDL 29250/-
LFBX11-70-CDL 30800/-
LFBX11-90-CDL 31400/-



HERCULES



- Pressure die cast housing with IP 65 protection
- Efficient high output emitter LED for better distribution. Applicable for area lighting.
- CAT. REF.** **ALP(₹)**
LSFO-60-CDL 26500/-
LSFO-72-CDL 28500/-
LSFO-90-CDL 34100/-
LSFO-120-CDL 39850/-

EOS

- Pressure die cast housing with IP 65 protection
- Efficient high output COB LED for better LOR
- Applicable for area & highmast
- CAT. REF.** **ALP(₹)**
LFBXK-120-CDL ON REQUEST
LFBXK-150-CDL ON REQUEST
LFBXK-180-CDL ON REQUEST



MACH2 SYMMETRIC #



- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K
- ✔ **CAT. REF.**

LFLMACH2-36S

ALP(₹)

ON REQUEST

MACH2 ASYMMETRIC #

- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K

✔ **CAT. REF.**

LFLMACH2-27AS

ALP(₹)

ON REQUEST



MACH3 SYMMETRIC #



- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K
- ✔ **CAT. REF.**

LFLMACH3-45S

LFLMACH3-54S

ALP(₹)

ON REQUEST

ON REQUEST

MACH3 ASYMMETRIC #

- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K

✔ **CAT. REF.**

LFLMACH3-36AS

LFLMACH3-45AS

ALP(₹)

ON REQUEST

ON REQUEST



MACH4 SYMMETRIC #



- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K
- ✔ **CAT. REF.**

LFLMACH4-78S

LFLMACH4-102S

ALP(₹)

ON REQUEST

ON REQUEST

MACH5 SYMMETRIC #

- ✔ Pressure Diecast compact Aluminum housing
- ✔ High degree IP67 protection
- ✔ IK 08 & CCT 4000K

✔ **CAT. REF.**

LFLMACH5-102S

LFLMACH5-134S

ALP(₹)

ON REQUEST

ON REQUEST



Normal discount policy not applicable,
Please contact local CG representative for price details.



Smart solutions.
Strong relationships.

SALES OFFICES

NORTHERN REGION

New Delhi: 3rd Floor, Express Bldg.,
9-10, Bahadur Shah Zafar Marg,
Near ITO Crossing, Delhi-110002

Jaipur: Church Road P.B. No. 173, Jaipur-302 001

Jalandhar: Crompton Greaves Ltd. B XII - 407,
2nd floor, Lodowali Road, Near BSF Chowk,
Jalandhar-144001

Lucknow: 3rd Floor, Saran Chamber-II,
5- Park Road, Lucknow-226001

Tel. No.

(011) 23460780, 23460771
(0141) 3018800, 3018803

(0181) 3051395, 3051313

(0522) 4152152, 4152159

Fax No.

23324360
2365371

2226342

2237009

EASTERN REGION

Kolkata: 50, Chowringhee Road, Kolkata-700 071

Guwahati: Crompton Greaves Ltd.

C/O Assam Investment & Construction Co.

GS Road, Dispur, Ganeshguri

(Near Car Ghar) Guwahati-781005

Patna: Eastern Logistics, Sahayogi Press Marg,

Exhibition Road, Patna-800 001

Bhubaneswar: Janpath Tower, 3rd Floor,

Ashok Nagar, Unit II, Bhubaneswar-751009

Ranchi: C/O Ess Ess Agencies, Uphar Cinema

Campus, Ratu Road, Ranchi-854005

(033) 22829681 - 22829685

(0361) 2344709/ 2341221

(0612) 3261594, 3261595

(0674) 2531128, 2531429

(0651) 2512095

22994218

2340775

2229531

2533521

2512095

WESTERN REGION

Mumbai: Crompton Greaves Ltd.,

Kanjurmarg (East), Mumbai-400 042

Ahmedabad: 909, Sakar-II, Near Ellis Bridge Police Stn.,

Ahmedabad-380 036

Indore: 103-B, Apollo Trade Centre,

2-B, Rajgarh Kothi, Mumbai-Agra Road, Indore-452 001

Nagpur: 3, West High Court, Dharam Peth,

Nagpur-440 010. (Satellite Off.)

Baroda: 10A, Vrindavan Colony,

Near Hari Nagar Water Tank, Gotri Road, Baroda-390 007

Pune: Premium Point Building, 4th Floor,

J.M. Road, Shivaji Nagar, Pune-411 005

Raipur: A/201, Crystal Archid, Lodhi Pura Chowk,

Shankar Nagar Road, Raipur, Chattisgarh -492001

(022) 67558675, 67558676

(079) 40012000, 40012201

(0731) 2498269, 2498271

(0712) 2531271, 2560870

(0265) 2332460, 2332227

(020) 25534675 - 25534677

(0771) 4022214, 4022215

25795158

26586047

5065621

2537196

2332458

25534684

SOUTHERN REGION

Chennai: Crompton House, No. 3, Kodambakkam High Road,

P.B. No. 3316, Nungambakkam, Chennai-600 034

Bengaluru: 1st Floor, Janardhan Towers,

562/640, Bannerghatta Main Road,

Bilekahalli, Bengaluru-560 076

Kochi: Cherupushpam Building, 5th Floor,

300-6, Shamugham Road, Ernakulam, Kochi-682 031

Secunderabad: Minerva Complex, 94,

Sarojinidevi Road, Secunderabad-500 003

Coimbatore: 658/664, Rajalakshmi Plaza, 100 Feet Road,

Gandhipuram, Coimbatore-641 037 (Satellite Off.)

Madurai: 2/3, Mangayakarsi Women's College Road,

Parvai, Madurai-625 402. (Satellite Off.)

(044) 42247500, 44247575

(080) 41391908, 41391909

(0484) 2370860, 2370863

(040) 40002300, 40002347

(0422) 2526453, 2521830

(0452) 2667771

28231973

41391900

2373728

40002340

2525334

2667772

Crompton Greaves Limited Lighting Division

Kanjurmarg (East), Mumbai-400 042, (Maharashtra) India

T: +91-22-67558506, 67558536, 67558000

F: +91-22-25787283 | E: lighting@cgglobal.com

Registered Office:

CG House, 6th Floor, Dr. Annie Besant Road, Worli,

Mumbai-400 030 India

W: www.cgglobal.com