



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

(Rate in Rs. Per Metre)

"POLYCAB" Brand Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape/Extruded Innersheathed , Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm,4x6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

Cable Size in sq.m	ALUMINIUM ARMoured									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	A2XWaY A2XFaY		A2XWY / A2XFY		A2XWY / A2XFY		A2XFY		A2XWY / A2XFY	
2.5			SISLV2X2.517225	102	SISLV3X2.517457	117			SISLV4X2.517805	136
4			SISLV2X417225	111	SISLV3X417457	129			SISLV4X417805	147
6			SISLV2X617225	129	SISLV3X617457	151			SISLV4X617805	166
10			SISLV2X1017225	158	SISLV3X1017457	180			SISLV4X1018040	215
16	SISLV1X1617173	99	SISLV2X1617371	189	SISLV3X1617603	200			SISLV4X1617969	234
25	SISLV1X2517173	120	SISLV2X2517371	196	SISLV3X2517603	260	SISLV3.5x2517719	300	SISLV4X2517969	323
35	SISLV1X3517173	145	SISLV2X3517371	240	SISLV3X3517603	329	SISLV3.5x3517719	370	SISLV4X3517969	410
50	SISLV1X5017173	176	SISLV2X5017371	299	SISLV3X5017603	413	SISLV3.5x5017719	477	SISLV4X5017969	527
70	SISLV1X7017173	223	SISLV2X7017371	398	SISLV3X7017603	556	SISLV3.5x7017719	639	SISLV4X7017969	702
95	SISLV1X9517168	252	SISLV2X9517371	497	SISLV3X9517603	694	SISLV3.5x9517719	805	SISLV4X9517969	887
120	SISLV1X12017168	303	SISLV2X12017371	599	SISLV3X12017603	849	SISLV3.5x12017719	1005	SISLV4X12017969	1097
150	SISLV1X15017168	360	SISLV2X15017371	728	SISLV3X15017603	1036	SISLV3.5x15017719	1192	SISLV4X15017969	1337
185	SISLV1X18517168	440	SISLV2X18517371	894	SISLV3X18517603	1278	SISLV3.5x18517719	1473	SISLV4X18517969	1639
240	SISLV1X24017168	540	SISLV2X24017371	1118	SISLV3X24017603	1614	SISLV3.5x24017719	1862	SISLV4X24017969	2078
300	SISLV1X30017168	657	SISLV2X30017371	1367	SISLV3X30017603	1962	SISLV3.5x30017719	2269	SISLV4X30017969	2542
400	SISLV1X40017168	825	SISLV2X40017371	1739	SISLV3X40017603	2514	SISLV3.5x40017719	2900	SISLV4X40017969	3252
500	SISLV1X50017168	1080	SISLV2X50017371	2320	SISLV3X50017603	3250	SISLV3.5x50017719	3787	SISLV4X50017969	4250
630	SISLV1X63017168	1370	SISLV2X63017371	2920	SISLV3X63017603	4120	SISLV3.5x63017719	4920	SISLV4X63017969	5500
800	SISLV1X80017168	1740								
1000	SISLV1X100017168	2175								

EXTRA FOR SPECIAL CONSTRUCTION:

a) Round Wire Armouring		FRLS Loading Factor				LSZH	
- 2 x 16 & above	25.00%	Cable Size (Sq.mm)	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
- 3 x 16 & 3.5CX25 & above	25.00%			Armd.			
- 4 x 10 & above	25.00%			Power (Al.)			
- For Single core 95 & above	25.00%	Upto 16	10.0%	15%	15%	20%	
b) Stranding 10 sq.mm and below	10.00%	25 - 50	7.5%	10%	12.5%	15%	
c) Extruded PVC Innersheath Up 50	5.00%	70 & above	5.0%	7.5%	15%	12.5%	
Extruded PVC Innersheath 70 & Above	2.50%			Power Single Core (Al.)			
d) HR PVC Insulation	2.00%	Upto 16	-N.A-	20%	25%		
e) HR PVC Inner Sheath	2.00%	25 - 70	-N.A-	15%	20%		
f) HR PVC Outer Sheath	2.00%	95 & above	-N.A-	12.5%	17.5%		
g) Oxygen Index (FR)	2.50%						
h) PVC Insulated Cables	5.00%						

● The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

● This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

(Rate in Rs. Per Metre)

"POLYCAB" Brand Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape/Extruded Innersheathed, Unarmoured, extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

Cable Size in sq.mm	ALUMINIUM UNARMOURED									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	A2XY		A2XY		A2XY		A2XY		A2XY	
2.5			SISLV2X2.517228		SISLV3X2.517460				SISLV4X2.517808	
4			SISLV2X417228	69	SISLV3X417460	77			SISLV4X417808	86
6			SISLV2X617228	77	SISLV3X617460	93			SISLV4X617808	110
10			SISLV2X1017228	98	SISLV3X1017460	120			SISLV4X1017808	144
16	SISLV1X1617178	55	SISLV2X1617392	119	SISLV3X1617624	154			SISLV4X1617990	192
25	SISLV1X2517178	72	SISLV2X2517392	153	SISLV3X2517624	214	SISLV3.5X2517740	250	SISLV4X2517990	268
35	SISLV1X3517178	90	SISLV2X3517392	193	SISLV3X3517624	274	SISLV3.5X3517740	311	SISLV4X3517990	346
50	SISLV1X5017178	116	SISLV2X5017392	248	SISLV3X5017624	355	SISLV3.5X5017740	410	SISLV4X5017990	450
70	SISLV1X7017178	155	SISLV2X7017392	334	SISLV3X7017624	492	SISLV3.5X7017740	567	SISLV4X7017990	627
95	SISLV1X9517178	200	SISLV2X9517392	447	SISLV3X9517624	625	SISLV3.5X9517740	723	SISLV4X9517990	802
120	SISLV1X12017178	250	SISLV2X12017392	532	SISLV3X12017624	773	SISLV3.5X12017740	909	SISLV4X12017990	1009
150	SISLV1X15017178	304	SISLV2X15017392	648	SISLV3X15017624	957	SISLV3.5X15017740	1095	SISLV4X15017990	1241
185	SISLV1X18517178	375	SISLV2X18517392	810	SISLV3X18517624	1190	SISLV3.5X18517740	1376	SISLV4X18517990	1544
240	SISLV1X24017178	470	SISLV2X24017392	1030	SISLV3X24017624	1521	SISLV3.5X24017740	1756	SISLV4X24017990	1975
300	SISLV1X30017178	575	SISLV2X30017392	1271	SISLV3X30017624	1871	SISLV3.5X30017740	2160	SISLV4X30017990	2439
400	SISLV1X40017178	757	SISLV2X40017392	1630	SISLV3X40017624	2407	SISLV3.5X40017740	2787	SISLV4X40017990	3148
500	SISLV1X50017178	905	SISLV2X50017392	2050	SISLV3X50017624	2930	SISLV3.5X50017740	3385	SISLV4X50017990	3820
630	SISLV1X63017178	1150	SISLV2X63017392	2587	SISLV3X63017624	3720	SISLV3.5X63017740	4400	SISLV4X63017990	4940
800	SISLV1X80017178	1510								
1000	SISLV1X100017178	1920								

EXTRA FOR SPECIAL CONSTRUCTION:

a) Stranding 10 sq.mm and below	10.00%		FRLS Loading Factor			LSZH	
b) Extruded PVC Innersheath Up 50	5.00%		Cable Size (Sq.mm)	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
Extruded PVC Innersheath 70 & Above	2.50%				Unarmd.		
c) HR PVC Insulation	2.00%				Power (Al.)		
d) HR PVC Inner Sheath	2.00%		Upto 16	10.0%	15%	15%	20%
e) HR PVC Outer Sheath	2.00%		25 - 50	7.5%	10%	12.5%	15%
f) Oxygen Index (FR)	2.50%		70 & above	5.0%	7.5%	15%	12.5%
g) PVC Insulated Cables	5.00%				Power Single Core (Al.)		
			Upto 16	-N.A-	20%	25%	25%
			25 - 70	-N.A-	15%	20%	20%
			95 & above	-N.A-	12.5%	17.5%	17.5%

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

"POLYCAB" Brand Power/Control Copper Cables, Solid Copper conductor upto 6sqmm balance Stranded, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 10 x 1.5 sqmm, 8 x 2.5 sqmm, 2 x 10 sqmm, 3 x 10 sqmm, 4 x 6 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	COPPER ARMoured									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	2XWaY / 2XFaY		2XWY / 2XFY		2XWY / 2XFY		2XFY		2XWY / 2XFY	
4			SISLV2X410076	236	LV3X410342	306			SISLV4X410690	389
6			SISLV2X610076	318	LV3X610342	422			SISLV4X610690	543
10			SISLV2X1010134	481	LV3X1010400	657			SISLV4X1018048	847
16	SISLV1X1610024	325	SISLV2X1610237	664	LV3X1610488	930			SISLV4X1610854	1221
25	SISLV1X2510024	551	SISLV2X2510222	1039	LV3X2510500	1523	SISLV3.5X2510616	1832	SISLV4X2510866	2005
35	SISLV1X3510024	747	SISLV2X3510222	1420	LV3X3510500	2097	SISLV3.5X3510616	2407	SISLV4X3510866	2765
50	SISLV1X5010024	1010	SISLV2X5010222	1929	LV3X5010500	2856	SISLV3.5X5010616	3340	SISLV4X5010866	3784
70	SISLV1X7010024	1420	SISLV2X7010222	2733	LV3X7010500	4056	SISLV3.5X7010616	4727	SISLV4X7010866	5367
95	SISLV1X9510019	1996	SISLV2X9510222	3923	LV3X9510500	5825	SISLV3.5X9510616	6805	SISLV4X9510866	7722
120	SISLV1X12010019	2511	SISLV2X12010222	4918	LV3X12010500	7320	SISLV3.5X12010616	8721	SISLV4X12010866	9720
150	SISLV1X15010019	3125	SISLV2X15010222	6134	LV3X15010500	9137	SISLV3.5X15010616	10538	SISLV4X15010866	12131
185	SISLV1X18510019	3842	SISLV2X18510222	7545	LV3X18510500	11245	SISLV3.5X18510616	13145	SISLV4X18510866	14918
240	SISLV1X24010019	4935	SISLV2X24010222	9705	LV3X24010500	14485	SISLV3.5X24010616	16885	SISLV4X24010866	19228
300	SISLV1X30010019	6151	SISLV2X30010222	12089	LV3X30010500	18032	SISLV3.5X30010616	21034	SISLV4X30010866	23957
400	SISLV1X40010019	8059	SISLV2X40010222	15848	LV3X40010500	23664	SISLV3.5X40010616	27366	SISLV4X40010866	31436
500	SISLV1X50010019	10169								
630	SISLV1X63010019	12800								
800	SISLV1X80010019	16219								
1000	SISLV1X100010019	20244								

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	ARMoured - 2XWY/2XFY				No. of Cores	ARMoured - 2XWY/2XFY			
	1.5 sqmm		2.5 sqmm			1.5 sqmm		2.5 sqmm	
2	SISLV2X1.510076	134	SISLV2X2.510076	175	14	SISLV14X1.511916	624	SISLV14X2.511916	876
3	SISLV3X1.510342	165	SISLV3X2.510342	225	16	SISLV16X1.512090	645	SISLV16X2.512090	986
4	SISLV4X1.510690	199	SISLV4X2.510690	280	19	SISLV19X1.512264	748	SISLV19X2.512090	1157
5	SISLV5X1.510940	234	SISLV5X2.510940	335	24	SISLV24X1.512438	936	SISLV24X2.512264	1449
6	SISLV6X1.511056	268	SISLV6X2.511056	390	27	SISLV27X1.512612	1044	SISLV27X2.512438	1612
7	SISLV7X1.511172	297	SISLV7X2.511172	440	30	SISLV30X1.512786	1195	SISLV30X2.512612	1860
8	SISLV8X1.511288	322	SISLV8X2.511288	465	37	SISLV37X1.512960	1458	SISLV37X2.512786	2266
9	SISLV9X1.511422	360	SISLV9X2.511422	525	44	SISLV44X1.513134	1724	SISLV44X2.512960	2704
10	SISLV10X1.511580	476	SISLV10X2.511568	647	52	SISLV52X1.513308	2015	SISLV52X2.513134	3165
12	SISLV12X1.511742	548	SISLV12X2.511742	759	61	SISLV61X1.513482	2352	SISLV61X2.513308	3685

EXTRA FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%			E) OXYGEN INDEX (FR)	2.50%	
B) Stranding (Upto 6 SQ.MM)	6.00%			F) HR PVC INSU/L.SH/O.SH.	2.00% (Each)	
C) Extruded Innersheath	2.50%			G) FRLS Loading-Power Cable	7.50%	
D) Round Wire Armouring				H) PVC Insulated Cables	0.05	

1C x 95 sq. mm & above	7.50%	FRLS Loading Factor- Control Cable			LSZH	
1.5 sq.mm - 12 core & above	15.00%	Cores	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
2.5 sq.mm - 9 core & above	15.00%			Armoured		
10 sq.mm - 4 core & above	15.00%	2 - 4	10%	10%	15.0%	15.0%
16 sq.mm - 2 core & above	15.00%	5 - 10	7.5%	10%	15.0%	15.0%
16 sq.mm - 3 core & above	15.00%	12 & Above	7.5%	7.5%	12.5%	12.5%

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention, It may vary within the prescribed limit of IS:8130-1994,with related classes and tables:

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

"POLYCAB" Brand Power/Control Copper Cables, Solid/Stranded Copper conductor, XLPE Insulated, cores laid up, PVC tape/PVC Extruded Innersheathed, Unarmoured, extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	COPPER UN-ARMOURED									
	Core - 1		Core - 2		Core - 3		Core - 3.5		Core - 4	
	2XY		2XY		2XY		2XY		2XY	
4			SISLV2X410079	186	SISLV3X410345	261			SISLV4X410693	339
6			SISLV2X610079	263	SISLV3X610345	373			SISLV4X610693	488
10			SISLV2X1010137	416	SISLV3X1010403	597			SISLV4X1010769	784
16	SISLV1X1610029	298	SISLV2X1610243	596	SISLV3X1610509	883			SISLV4X1610875	1166
25	SISLV1X2510029	459	SISLV2X2510243	934	SISLV3X2510509	1387	SISLV3.5X2510625	1674	SISLV4X2510875	1833
35	SISLV1X3510029	634	SISLV2X3510243	1290	SISLV3X3510509	1919	SISLV3.5X3510625	2207	SISLV4X3510875	2541
50	SISLV1X5010029	870	SISLV2X5010243	1766	SISLV3X5010509	2632	SISLV3.5X5010625	3079	SISLV4X5010875	3488
70	SISLV1X7010029	1237	SISLV2X7010243	2510	SISLV3X7010509	3757	SISLV3.5X7010625	4381	SISLV4X7010875	4981
95	SISLV1X9510029	1659	SISLV2X9510243	3495	SISLV3X9510509	5218	SISLV3.5X9510625	6095	SISLV4X9510875	6927
120	SISLV1X12010029	2093	SISLV2X12010243	4397	SISLV3X12010509	6569	SISLV3.5X12010625	7822	SISLV4X12010875	8738
150	SISLV1X15010029	2616	SISLV2X15010243	5487	SISLV3X15010509	8215	SISLV3.5X15010625	9471	SISLV4X15010875	10921
185	SISLV1X18510029	3220	SISLV2X18510243	6764	SISLV3X18510509	10120	SISLV3.5X18510625	11837	SISLV4X18510875	13452
240	SISLV1X24010029	4150	SISLV2X24010243	8723	SISLV3X24010509	13059	SISLV3.5X24010625	15226	SISLV4X24010875	17361
300	SISLV1X30010029	5173	SISLV2X30010243	10881	SISLV3X30010509	16284	SISLV3.5X30010625	18994	SISLV4X30010875	21659
400	SISLV1X40010029	6800	SISLV2X40010243	14282	SISLV3X40010509	21385	SISLV3.5X40010625	24743	SISLV4X40010875	28456
500	SISLV1X50010029	8587								
630	SISLV1X63010029	10816								
800	SISLV1X80010029	13727								
1000	SISLV1X100010029	17150								

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN-ARMOURED - 2XY				No. of Cores	UN-ARMOURED - 2XY			
	1.5 sqmm		2.5 sqmm			1.5 sqmm		2.5 sqmm	
2	SISLV2X1.510079	90	SISLV2X2.510079	129	14	SISLV14X1.511931	455	SISLV14X2.511931	715
3	SISLV3X1.510345	118	SISLV3X2.510345	171	16	SISLV16X1.512105	516	SISLV16X2.512105	819
4	SISLV4X1.510693	148	SISLV4X2.510693	220	19	SISLV19X1.512279	607	SISLV19X2.512279	965
5	SISLV5X1.510943	175	SISLV5X2.510943	263	24	SISLV24X1.512453	768	SISLV24X2.512453	1213
6	SISLV6X1.511059	206	SISLV6X2.511059	312	27	SISLV27X1.512627	857	SISLV27X2.512627	1357
7	SISLV7X1.511175	233	SISLV7X2.511175	358	30	SISLV30X1.512801	981	SISLV30X2.512801	1555
8	SISLV8X1.511291	268	SISLV8X2.511291	405	37	SISLV37X1.512975	1199	SISLV37X2.512975	1906
9	SISLV9X1.511425	300	SISLV9X2.511425	452	44	SISLV44X1.513149	1421	SISLV44X2.513149	2274
10	SISLV10X1.511583	334	SISLV10X2.511583	521	52	SISLV52X1.513323	1668	SISLV52X2.513323	2672
12	SISLV12X1.511757	394	SISLV12X2.511757	618	61	SISLV61X1.513497	1960	SISLV61X2.513497	3123

EXTRA FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%		FRLS Loading Factor-	Control Cable		LSZH	
B) Stranding (Upto 6 SQ.MM)	6.00%		Cores	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath
C) Extruded Innersheath	2.50%				Unarmd		
			4-Feb	5.0%	7.5%	15.0%	15.0%
D OXYGEN INDEX (FR)	2.50%		41404	5.0%	7.5%	15.0%	15.0%
E) HR PVC INSU/L.SH/O.SH.	2.00% (Each)		12 & Above	5.0%	7.5%	12.5%	12.5%
F) FRLS Loading-Power Cable	7.50%						
G) PVC Insulated Cables	5%						

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guide-lines and are as per market convention, it may vary within the prescribed limit of IS:8130-1994,with related classes and tables:

- The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with extruded Semi Conducting Compound in combination with Copper Tape (0.3kA for 1 sec), cores laid up, innersheath of PVC tape, galvanised flat steel strip armoured and overall PVC Sheathed Cable conforming to IS 7098 / (PART-II) 1985 with latest amendments.

Cable Size in sq.mm	3 CORE HT XLPE									
	3.3 KV (E)		3.3 KV (U/E)		6.6 KV (E)		6.6 KV (U/E)		11 KV (E)	
25	SISMV3.3E3X252244	618	SISMV3.3U3X252280	618						
35	SISMV3.3E3X352244	727	SISMV3.3U3X352280	727	SISMV6.6E3X352316	802	SISMV6.6U3X352352	882	SISMV11E3X352797	882
50	SISMV3.3E3X502244	845	SISMV3.3U3X502280	845	SISMV6.6E3X502316	912	SISMV6.6U3X502352	999	SISMV11E3X502797	999
70	SISMV3.3E3X702244	1024	SISMV3.3U3X702280	1024	SISMV6.6E3X702316	1101	SISMV6.6U3X702352	1187	SISMV11E3X702797	1187
95	SISMV3.3E3X952244	1242	SISMV3.3U3X952281	1242	SISMV6.6E3X952316	1322	SISMV6.6U3X952352	1418	SISMV11E3X952797	1418
120	SISMV3.3E3X1202244	1461	SISMV3.3U3X1202282	1461	SISMV6.6E3X1202316	1544	SISMV6.6U3X1202352	1636	SISMV11E3X1202797	1636
150	SISMV3.3E3X1502244	1650	SISMV3.3U3X1502283	1650	SISMV6.6E3X1502316	1742	SISMV6.6U3X1502352	1826	SISMV11E3X1502797	1826
185	SISMV3.3E3X1852244	1944	SISMV3.3U3X1852284	1944	SISMV6.6E3X1852316	2028	SISMV6.6U3X1852352	2125	SISMV11E3X1852797	2125
240	SISMV3.3E3X2402244	2357	SISMV3.3U3X2402285	2357	SISMV6.6E3X2402316	2455	SISMV6.6U3X2402352	2550	SISMV11E3X2402797	2550
300	SISMV3.3E3X3002244	2784	SISMV3.3U3X3002286	2784	SISMV6.6E3X3002316	2926	SISMV6.6U3X3002352	2968	SISMV11E3X3002797	2968
400	SISMV3.3E3X4002244	3384	SISMV3.3U3X4002287	3384	SISMV6.6E3X4002316	3662	SISMV6.6U3X4002352	3578	SISMV11E3X4002797	3578

EXTRA FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%								
2) Pressure Extruded PVC Innersheath	13%								
3) Round Wire Armouring - Up to 11 KV (E)	25%								
11 KV (UE) & Above	27.5%								
4) FRLS PVC Inner Sheath	5%								
5) FRLS PVC Outer Sheath	5%								
6) FR Sheath with Oxygen Index	3%								

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with extruded Semi Conducting Compound in combination with Copper Tape (0.3kA for 1 sec), cores laid up, innersheath of PVC tape, galvanised flat steel strip armoured and overall PVC Sheathed Cable conforming to IS 7098 / (PART-II) 1985 with latest amendments.

Cable Size in sq.mm	3 CORE HT XLPE							
	11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)	
25								
35								
50			SISMV22E3X502460	1401				
70	SISMV11U3X702424	1513	SISMV22E3X702460	1620				
95	SISMV11U3X952424	1759	SISMV22E3X952460	1873	SISMV33E3X952496	2445	SISMV33U3X952532	2921
120	SISMV11U3X1202424	1997	SISMV22E3X1202460	2118	SISMV33E3X1202496	2807	SISMV33U3X1202532	3217
150	SISMV11U3X1502424	2206	SISMV22E3X1502460	2336	SISMV33E3X1502496	3044	SISMV33U3X1502532	3450
185	SISMV11U3X1852424	2525	SISMV22E3X1852460	2644	SISMV33E3X1852496	3396	SISMV33U3X1852532	3821
240	SISMV11U3X2402424	2969	SISMV22E3X2402460	3098	SISMV33E3X2402496	3882	SISMV33U3X12402532	4332
300	SISMV11U3X3002424	3417	SISMV22E3X3002460	3554	SISMV33E3X3002496	4363	SISMV33U3X3002532	4834
400	SISMV11U3X4002424	4016	SISMV22E3X4002460	4185	SISMV33E3X4002496	5051	SISMV33U3X4002532	5557

EXTRA FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	5%				
2) Pressure Extruded PVC Innersheath	13%				
3) Round Wire Armouring - Up to 11 KV (E)	25%				
11 KV (UE) & Above	27.5%				
4) FRLS PVC Inner Sheath	5%				
5) FRLS PVC Outer Sheath	5%				
6) FR Sheath with Oxygen Index	3%				

• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



POLYCAB WIRES PVT. LTD.

LIST PRICE NO 03 / 2013-14 20th November 2013 (Amendment No.1)

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.3kA for 1sec), Al flat strip / round armoured and overall PVC sheathed cable confirming to IS 7098 / (PART-II) 1985 with latest amendments.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE											
	3.3 KV E				3.3 KV UE				6.6 KV (E)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35	SISMV3.3E1X352001	333		350	SISMV3.3U1X352028	333	SISMV3.3U1X352037	350	SISMV6.6E1X352316	344	SISMV6.6E1X352055	362
50	SISMV3.3E1X502001	365		384	SISMV3.3U1X502028	365	SISMV3.3U1X502037	384	SISMV6.6E1X502316	376	SISMV6.6E1X502055	396
70	SISMV3.3E1X702001	418		440	SISMV3.3U1X702028	418	SISMV3.3U1X702037	440	SISMV6.6E1X702316	429	SISMV6.6E1X702055	452
95	SISMV3.3E1X952001	472		497	SISMV3.3U1X952028	472	SISMV3.3U1X952037	497	SISMV6.6E1X952316	485	SISMV6.6E1X952055	510
120	SISMV3.3E1X1202001	532		560	SISMV3.3U1X1202028	532	SISMV3.3U1X1202037	560	SISMV6.6E1X1202316	545	SISMV6.6E1X1202055	574
150	SISMV3.3E1X1502001	595		626	SISMV3.3U1X1502028	595	SISMV3.3U1X1502037	626	SISMV6.6E1X1502316	610	SISMV6.6E1X1502055	642
185	SISMV3.3E1X1852001	685		721	SISMV3.3U1X1852028	685	SISMV3.3U1X1852037	721	SISMV6.6E1X1852316	701	SISMV6.6E1X1852055	738
240	SISMV3.3E1X2402001	865		910	SISMV3.3U1X2402028	865	SISMV3.3U1X2402037	910	SISMV6.6E1X2402316	883	SISMV6.6E1X2402055	929
300	SISMV3.3E1X3002001	1002		1055	SISMV3.3U1X3002028	1002	SISMV3.3U1X3002037	1055	SISMV6.6E1X3002316	1029	SISMV6.6E1X3002055	1083
400	SISMV3.3E1X4002001	1201		1264	SISMV3.3U1X4002028	1201	SISMV3.3U1X4002037	1264	SISMV6.6E1X4002316	1247	SISMV6.6E1X4002055	1313
500	SISMV3.3E1X5002001	1458		1535	SISMV3.3U1X5002028	1458	SISMV3.3U1X5002037	1535	SISMV6.6E1X5002316	1529	SISMV6.6E1X5002055	1609
630	SISMV3.3E1X6302001	1808		1903	SISMV3.3U1X6302028	1808	SISMV3.3U1X6302037	1903	SISMV6.6E1X6302316	1838	SISMV6.6E1X6302055	1935
800	SISMV3.3E1X8002001	2239		2357	SISMV3.3U1X8002028	2239	SISMV3.3U1X8002037	2357	SISMV6.6E1X8002316	2259	SISMV6.6E1X8002055	2378
1000	SISMV3.3E1X10002001	2702		2844	SISMV3.3U1X10002028	2702	SISMV3.3U1X10002037	2844	SISMV6.6E1X10002316	2711	SISMV6.6E1X10002055	2854


EXTRA FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%											
2) FRLS PVC Outer Sheath	5%											
3) Oxygen Index	3%											


• The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

HT 1 CORE (2)

 POLYCAB WIRES PVT. LTD.												
LIST PRICE NO 03 / 2013-14 20 th November 2013 (Amendment No.1)												
"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.3kA for 1sec), AL flat strip / round armoured and overall PVC sheathed cable confirming to IS 7098 / (PART-II) 1985 with latest amendments.												
(Rate in Rs. Per Metre)												
I CORE HT XLPE												
Cable Size in sq.mm	6.6 KV (UE)				11 KV (E)				11 KV (UE)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35	SISMV6.6U1X352082	365	SISMV6.6U1X352091	384	SISMV11E1X352109	365	SISMV11E1X352118	384				
50	SISMV6.6U1X502082	404	SISMV6.6U1X502091	425	SISMV11E1X502109	404	SISMV11E1X502118	425				
70	SISMV6.6U1X702082	461	SISMV6.6U1X702091	485	SISMV11E1X702109	461	SISMV11E1X702118	485	SISMV11U1X702136	555	SISMV11U1X702145	584
95	SISMV6.6U1X952082	518	SISMV6.6U1X952091	545	SISMV11E1X952109	518	SISMV11E1X952118	545	SISMV11U1X952136	647	SISMV11U1X952145	681
120	SISMV6.6U1X1202082	585	SISMV6.6U1X1202091	616	SISMV11E1X1202109	585	SISMV11E1X1202118	616	SISMV11U1X1202136	731	SISMV11U1X1202145	769
150	SISMV6.6U1X1502082	644	SISMV6.6U1X1502091	678	SISMV11E1X1502109	644	SISMV11E1X1502118	678	SISMV11U1X1502136	793	SISMV11U1X1502145	835
185	SISMV6.6U1X1852082	771	SISMV6.6U1X1852091	812	SISMV11E1X1852109	771	SISMV11E1X1852118	812	SISMV11U1X1852136	942	SISMV11U1X1852145	992
240	SISMV6.6U1X2402082	903	SISMV6.6U1X2402091	951	SISMV11E1X2402109	903	SISMV11E1X2402118	951	SISMV11U1X2402136	1083	SISMV11U1X2402145	1140
300	SISMV6.6U1X3002082	1032	SISMV6.6U1X3002091	1086	SISMV11E1X3002109	1032	SISMV11E1X3002118	1086	SISMV11U1X3002136	1220	SISMV11U1X3002145	1284
400	SISMV6.6U1X4002082	1231	SISMV6.6U1X4002091	1296	SISMV11E1X4002109	1231	SISMV11E1X4002118	1296	SISMV11U1X4002136	1444	SISMV11U1X4002145	1520
500	SISMV6.6U1X5002082	1583	SISMV6.6U1X5002091	1666	SISMV11E1X5002109	1583	SISMV11E1X5002118	1666	SISMV11U1X5002136	1782	SISMV11U1X5002145	1876
630	SISMV6.6U1X6302082	1889	SISMV6.6U1X6302091	1988	SISMV11E1X6302109	1889	SISMV11E1X6302118	1988	SISMV11U1X6302136	2115	SISMV11U1X6302145	2226
800	SISMV6.6U1X8002082	2291	SISMV6.6U1X8002091	2412	SISMV11E1X8002109	2291	SISMV11E1X8002118	2412	SISMV11U1X8002136	2470	SISMV11U1X8002145	2600
1000	SISMV6.6U1X10002082	2713	SISMV6.6U1X10002091	2856	SISMV11E1X10002109	2713	SISMV11E1X10002118	2856	SISMV11U1X10002136	2899	SISMV11U1X10002145	3052
EXTRA FOR SPECIAL CONSTRUCTION:												
1) FRLS PVC Inner Sheath	5%											
2) FRLS PVC Outer Sheath	5%											
3) Oxygen Index	3%											
<ul style="list-style-type: none"> The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra. This cancels all our previous Price Lists. This Price List is subject to change without prior notice. 											Page 8 of 9	

HT 1 CORE (3)

 POLYCAB WIRES PVT. LTD.												
LIST PRICE NO 03 / 2013-14 20 th November 2013 (Amendment No.1)												
"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen with extruded semi conducting compound, XLPE insulated, insulation screening with extruded semi conducting compound in combination with Copper tape (0.3kA for 1sec), Al flat strip / round armoured and overall PVC sheathed cable conforming to IS 7098 / (PART-II) 1985 with latest amendments.												
(Rate in Rs. Per Metre)												
I CORE HT XLPE												
Cable Size in sq.mm	22 KV (E)				33 KV (E)				33 KV (UE)			
	Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured		Al. Flat Strip Armoured		Al. Round Armoured	
35												
50												
70												
95	SISMV22E1X952163	691		727	SISMV33E1X952190	906	SISMV33E1X952199	954				
120	SISMV22E1X1202163	768		808	SISMV33E1X1202190	998	SISMV33E1X1202199	1050	SISMV33U1X1202532	1112	SISMV33U1X1202541	1171
150	SISMV22E1X1502163	836		880	SISMV33E1X1502190	1067	SISMV33E1X1502199	1123	SISMV33U1X1502532	1207	SISMV33U1X1502541	1270
185	SISMV22E1X1852163	942		992	SISMV33E1X1852190	1196	SISMV33E1X1852199	1259	SISMV33U1X1852532	1321	SISMV33U1X1852541	1391
240	SISMV22E1X2402163	1083		1140	SISMV33E1X2402190	1352	SISMV33E1X2402199	1423	SISMV33U1X2402532	1568	SISMV33U1X2402541	1651
300	SISMV22E1X3002163	1220		1284	SISMV33E1X3002190	1586	SISMV33E1X3002199	1669	SISMV33U1X3002532	1730	SISMV33U1X3002541	1821
400	SISMV22E1X4002163	1444		1520	SISMV33E1X4002190	1813	SISMV33E1X4002199	1908	SISMV33U1X4002532	1977	SISMV33U1X4002541	2081
500	SISMV22E1X5002163	1782		1876	SISMV33E1X5002190	2125	SISMV33E1X5002199	2237	SISMV33U1X5002532	2284	SISMV33U1X5002541	2404
630	SISMV22E1X6302163	2115		2226	SISMV33E1X6302190	2491	SISMV33E1X6302199	2622	SISMV33U1X6302532	2671	SISMV33U1X6302541	2812
800	SISMV22E1X8002163	2470		2600	SISMV33E1X8002190	2853	SISMV33E1X8002199	3003	SISMV33U1X8002532	3210	SISMV33U1X8002541	3379
1000	SISMV22E1X10002163	2899		3052	SISMV33E1X10002190	2518	SISMV33E1X10002199	2650	SISMV33U1X10002532	3690	SISMV33U1X10002541	3884
EXTRA FOR SPECIAL CONSTRUCTION:												
1) FRLS PVC Inner Sheath	5%											
2) FRLS PVC Outer Sheath	5%											
3) Oxygen Index	3%											
<ul style="list-style-type: none"> The above rates are exclusive of Excise Duty, Sales Tax, Octroi & any other taxes which shall be charged extra. This cancels all our previous Price Lists. This Price List is subject to change without prior notice. 												
											Page 9 of 9	