


LED Product Reckoner

(v.e.f. - 01/06/09)

LED Lighting

STREET LIGHT



Cat Ref.	Wattage	ALP Rs. Each
LST01515/CDL	15	18000
LST03030/CDL	30	29000
LST04545/CDL	45	38000
LST06060/CDL	60	52000
LST09090/CDL	90	78000

CANDY

Comprises an extruded aluminium housing with pre-wired gear tray with LEDs and driver. Heat resistant flat glass suitably gasketed for IP 65 protection. 15W off grid solar solution also available on request.



Cat Ref.	Wattage	ALP Rs. Each
LSTA181	18	23225

LED STREET LIGHT

Comprises a single piece deep drawn aluminium housing in sand blasted & anodized finish from outside. Aluminium gear tray wired with LEDs and driver. Heat resistant glass and synthetic gasket ensure IP65 Ingress Protection



Cat Ref.	Wattage	ALP Rs. Each
LSL416/MP	16	22100
LSL432/MP	32	26000
LSL648/MP	48	44000

CG MESOVISION

Greenish Blue light for enhanced visibility at low lighting levels (Mesopic range of vision). Body in cast aluminium housing with customised reflector design. Ingress Protection IP65. Driver Integral.

BOLLARD



Cat Ref.	Wattage	ALP Rs. Each
LLBIL108/WW	8	12000
LLBIL108/MP	8	14000
LLBIL108/CDL	8	12000

ICONLITE BOLLARD

Indirect Cone Bollard of die cast aluminium with integral driver. Ingress Protection IP54.



Cat Ref.	Wattage	ALP Rs. Each
LLBD0303/CDL	3	9700

BOLLARD

Die cast base ring with opal acrylic pipe. Ingress Protection IP54. Also available in Blue (/B), Green (/G), Amber (/A) on request.

LED Lighting

LED FLOOD LIGHTS




Cat Ref.	Wattage	ALP Rs. Each
LF00909/CDL	9	24000
LF01818/CDL	18	36000
LF02727/CDL	27	42000
LF03636/CDL	36	48000

LED FLOOD LIGHTS

Extruded Aluminium housing with toughened glass cover. Ingress protection IP 65. Driver is integral to the housing. Available in static colours of WW/Blue/Green/Red/Amber.

*Also available in RGB solution with external controller. Refer last page for RGB Driver details.

LED UP/DOWN WALL BRACKET




Cat Ref.	Wattage	ALP Rs. Each
LUD21R/140-20	2	4305
LUD21G/140-20	2	4305
LUD21B/140-20	2	4305
LUD21A/140-20	2	4305
LUD21WW/140-20	2	4305

LED WALL BRACKET-UP/DOWN

Extruded Aluminium housing with toughened glass cover. Ingress protection IP 65. Integral driver.

LED UPLIGHTER





Cat Ref.	Wattage	ALP Rs. Each
LCML104/WW	4	5000
LCML104/CDL	4	5000
LCM0303/CDL	3	4000
LCM0303/R	3	4000
LCM0303/G	3	4000
LCM0303/B	3	4000
LCM0303/A	3	4000

LED UPLIGHTER

Extruded Aluminium housing with toughened glass cover. Ingress protection IP 65.

LED Lighting


INDOOR COMMERCIAL RANGE



Cat Ref.	Wattage	ALP Rs. Each
LCDRP081-09/CDL	9	9980
LCDRP081-09/WW	9	10100
LCDRP081-09/CDL/EP	9	14850
LCDRP081-09/WW/EP	9	14850
LCDSP081-09/CDL	9	9820
LCDSP081-09/WW	9	9820
LCDSP081-09/CDL/EP	9	14620
LCDSP081-09/WW/EP	9	14620

CG PARALITA

Surface (LCDS) /Recessed (LCDR) fixture of sheet steel body and P5 louvre system with integral driver. EP denotes Emergency Version. Fixture Factory fit with Ni-MH Battery for 3 hours maintained operation in the event of mains power failure.



Cat Ref.	Wattage	ALP Rs. Each
LCDLV108G/WW	8	4800
LCDLV216G/WW	16	5600
LCDLV108X/WW	8	4600
LCDLV216X/WW	16	5400

HELDER1

Recessed down light supplied with separate driver types 2 x DRV700 for 16W/1 x DRV700 for 8W/1 x DRV350 for 4W. The suffix 'X' in the cat ref. indicates down light is available without glass cover. (Fixture priced with respective driver).



Cat Ref.	Wattage	ALP Rs. Each
LCDLH108G/WW	8	4800
LCDLH108G/CDL	8	5200
LCDLH216G/WW	16	5400
LCDLH216G/CDL	16	5600

HELDER2

Recessed down light supplied with separate driver types 2 x DRV700 for 16W/1x DRV700 for 8W/1 x DRV350 for 4 W. The suffix 'X' in the cat ref. indicates down light is available without glass cover. (Fixture price with respective driver).



Cat Ref.	Wattage	ALP Rs. Each
LCDL104/WW	4	3400
LCDL108/WW	8	3800
LCDL108/CDL	8	4200
LCDL104/CDL	4	3600

HALOSPAR

Recessed fixture supplied with separate driver types. (Fixture price with respective driver). Please refer last page for driver details.

LED Lighting

INDOOR COMMERCIAL RANGE



Cat Ref.	Wattage	ALP Rs. Each
LCPL416/WW	16	12000
LCPL416/CDL	16	12000

CG PENDOLITE


Suspended fixture of aluminium housing, prismatic reflector with cover and integral driver.



Cat Ref.	Wattage	ALP Rs. Each
LCDLS108	8	6400
LCDLS216	16	10000
LCDLS324	24	14000
LCDLS432	32	16000

EBONY

Recessed rotatable fixture for use in commercial spaces with 4X8, 3X8, 2X8, 1X8 Watt LED combination.



Cat Ref.	Wattage	ALP Rs. Each
LCTL0432/WW	32	15000

LED TILE

600mm X 600mm recessed acrylic tile with 4X8W warm white LEDs. Supplied completely with integral driver.

SIGNAGE LED LIGHTING



Cat Ref.	Wattage	ALP Rs. Each
LEDR1green	6320	

SIGNAGE LIGHTING

Signage light with recess mounting plate of stainless steel having superflux LED and inbuilt driver unit with clear acrylic engraved legend panel.

LED Lighting

SIGNAGE LED LIGHTING




Cat Ref.	Wattage	ALP Rs. Each
LEDS1green	-	3335
LEDS2green	-	4930
LEDS3green	-	17080

SIGNAGE LIGHTING

Signage light with surface mounting plate of Stainless Steel having superflux LED and inbuilt driver unit with clear acrylic engraved legend panel.

S1= 12 inches, S2= 18 inches, S3= 24 inches (S3 is of double sided version)

CG FLEXILITE-INDOOR APPLICATION (STATIC)




Cat Ref.	Wattage	ALP Rs. Each
LCCO-R/3A, (4mtr roll)	9W/mtr	12500
LCCO-R/5A, (8mtr roll)	9W/mtr	22500

CG FLEXILITE STATIC

For applications of Cove lighting, Signage lighting, architecture and theme lighting. Supplied in rolls of 4mtr and 8mtr. Also available in Green(/G), Blue(/B), Amber(/A), Warm White(/WW) and Cool Day Light(/CDL).

Driver, DRV/3A for 4mtr roll and DRV/5A for 8mtr roll to be priced separately.

CG FLEXILITE-INDOOR APPLICATION (RGB)



Cat Ref.	Wattage	ALP Rs. Each
LCCO-RGB/5A, (3mtr roll)	12W/mtr	13850
LCCO-RGB/10A, (6mtr roll)	12W/mtr	26000


CG FLEXILITE RGB

For applications of cove lighting, signage lighting, architecture and theme lighting. Supplied in rolls of 3mtr and 6mtr. Driver and controller price separately.

To be used with: RGB Controller type: CG RGB-2

RGB Driver type : DRV12/3A for 3 mtr, DRV/2V/5A for 6 mtr roll.

FLEXIBLE WATERPROOF RIBBON IP65 STATIC




Cat Ref.	Wattage	ALP Rs. Each
LCRO/S/WW, (5mtr roll)	10W/MTR	20400

FLEXIBLE WATERPROOF RIBBON-STATIC COLOURS

12mm width with 120 pcs of smd LED per mtr. Roll of 5mtr with mounting accessories and linkable connectors provided. Also available in CDL, Red, Blue, Green and Amber separate driver, type DRV/LCRO, 10A/120W - Rs. 3800.00

LED Lighting

FLEXIBLE WATERPROOF RIBBON IP65 RGB



Cat Ref.	Wattage	ALP Rs. Each
LCRO/RGB/WW, (5mtr roll)	14W/MTR	24000

FLEXIBLE WATERPROOF RIBBON-RGB

14.5mm width with 60 pcs of smd LED per mtr. Roll of 5mtr with mounting accessories and linkable connectors provided.

To be used with: RGB controller type: CG RGB-2, Amplifier: CG Amplifier, SMPS Driver type DRV/LCRO/RGB

LED FOOTLIGHT-INDOOR APPLICATION



Cat Ref.	Wattage	ALP Rs. Each
LCPO0101/WW	1	2500

LED FOOTLIGHT-INDOOR APPLICATION

Indoor foot / path light application. Supplied with driver type DRV350.

Available in CDL, Blue, Amber, Red and Green.

EMBEDDED LIGHT-OUTDOOR APPLICATION



Cat Ref.	Wattage	ALP Rs. Each
LEDE22/WW	3	3400

EMBEDDED LIGHT

Die cast aluminium housing with toughened glass. Stainless steel top with pre-wired driver Ingress Protection IP65. Integral driver.


Also available in Blue (/B), Green (/G), Amber (/A) on request.



Cat Ref.	Wattage	ALP Rs. Each
LLPO0303	3	8000

LED STEP LIGHT

Die cast aluminium housing with toughened glass. Stainless steel top with pre-wired integral driver. Ingress Protection IP54.



Cat Ref.	Wattage	ALP Rs. Each
LLE00303/CDL	3	5200
LLE00303/WW	3	5200
LLE00707/CDL	7	18000
LLE00721/CDL	21	20000
LLE00721/WW	21	20000

EMBEDDED LIGHT

External IP65 protected embedded fixture supplied completely with driver. Body of cast aluminium with stainless steel top frame and toughened glass.

*Also available in Amber.



LED Lighting

LED LAMPS



Cat Ref.	Wattage	ALP Rs. Each
LBL105FWWBC	5	1200
LBL105MWWBC	5	1200
LBL105FWWES	5	1200
LBL105MWWES	5	1200

PHAROX

Ready replacement for GLS lamp source.



Cat Ref.	Wattage	ALP Rs. Each
LBO105CWW/10	5	1400
LBO105CWW/25	5	1400
LBO105CCW/10	5	1400
LBO105CCW/25	5	1400

CROMSTAR

Ready retrofit for MR16 upto 12V/50W lamp.

EMERGENCY LED EXIT LIGHT



Cat Ref.	Wattage	ALP Rs. Each
EXL/O/3/SE/H/DD	3	5680

EMERGENCY LED EXIT SIGNS

Pendant mounted maintained type "EXIT" LED light with in built battery pack for 3 hours duration.



Cat Ref.	Wattage	ALP Rs. Each
EXL/B/3/SE/R/DD	3	5450

EMERGENCY LED EXIT SIGNS

Recess mounted maintained type "EXIT" LED light with in built battery pack for 3 hours duration.



Cat Ref.	Wattage	ALP Rs. Each
EXL/S/1/SE/H/DD	1	5080

EMERGENCY LED EXIT SIGNS

Pendant mounted maintained type "EXIT" LED light with in built battery pack for 1 hour duration.

LED Lighting

EMERGENCY LED EXIT LIGHT




Cat Ref.	Wattage	ALP Rs. Each
EXL/C/1/SE/W/DD	1	4725

EMERGENCY LED EXIT SIGNS

Wall mounted maintained type "EXIT" LED light with in built battery pack for 1 hour duration.

LED DRIVERS



Driver	Wattage	ALP Rs. Each
DRV700	8	1400

Driver for 8 W LED based solution.



Driver	Wattage	ALP Rs. Each
DRV350	4	1390

Driver for 4 W LED based solution.



Driver	Wattage	ALP Rs. Each
SMPS-DRV12V/3A	-	2660

Driver for Indoor Cove light of 4mtr rope.



Driver	Wattage	ALP Rs. Each
SMPS-DRV12V/5A	-	2660

Driver for Indoor Cove light of 8mtr rope.



Driver	Wattage	ALP Rs. Each
CG RGB-2	-	2660

Driver for RGB Cove light.

Driver	Wattage	ALP Rs. Each
CG RGB-1	-	

SMPS+Synchronizer, for RGB Flood light.

SOLAR OFF GRID SOLUTIONS TO BE LAUNCHED SOON

LED Lighting

General Notes Applicable to all Lamps/Luminaires

- All prices are subject to our general terms and conditions of business.
- ALP indicates authorized list price. Prices lower than these may be charged.
- Prices are subject to change without notice.
- All LED luminaires requiring separate LED controllers/drivers, to be ordered separately.
- Prices are inclusive of excise duty at the prevailing rates.
- Any statutory variation will be to the dealers/purchaser's account.
- Taxes and local levies as applicable will be extra.

REGIONAL SALES OFFICES

NORTHERN REGION

New Delhi : Vandana, 11, Tolstoy Marg, New Delhi - 110 001.

Tel No.

(011) 30416300, 30416319

Fax No.

23324360

EASTERN REGION

Kolkata : 50, Chowringhee Road, Kolkata - 700 071.

(033) 22829681-22829685, 22829942 22994218

WESTERN REGION

Mumbai : Kanjurmarg (East), Mumbai - 400 042.

(022) 67558622, 67558598

25795158

SOUTHERN REGION

Chennai : 3A, Kodambakkam High Road, P.B.No. 3316, Nungambakkam,
Chennai - 600 034.

(044) 42247500, 55247510

28231973



EVERYDAY SOLUTIONS

REGISTERED OFFICE

CG House, 6th Floor, Dr. Annie Basant Road, Worli, Mumbai - 400 030

(022) 24382211 / 77
(022) 2423 / 77

24237788

LIGHTING DIVISION

Kanjurmarg (East), Mumbai - 400 042. (Maharashtra) INDIA
email : lighting@cgl.co.in website : www.cglonline.com

(022) 67558462, 67558454, 67558000 25787283