

General denominations

A			
■ accessories for:			
□ I switches	40		
□ IH, IHH and IH 18	44		
□ Mini pragma	59		
■ add-on auxiliaries	36		
■ auxiliaries for:			
□ C60H and C120	14		
□ RCCB	26		
□ I switches	40		
C			
■ cascading	71		
■ circuit breakers	7-83		
■ circuit breaker for DC applications	83		
■ command control	31		
■ contactors	38-80		
■ coordination	84		
■ current transformers	49		
D			
■ discrimination	73		
■ dimensions	86		
E			
■ electrical auxiliaries for:			
□ C60	14		
□ C120	14		
□ NC100L	18		
□ NC100LH	20		
□ RCCB	26		
■ enclosure	53		
F			
■ flush mounting Mini Pragma	56		
I			
■ impulse relays	32-82		
■ indicator lights	42		
L			
■ light sensitive switches	46		
P			
■ power loss	78		
■ practical advice	65		
R			
■ residual current devices	23		
S			
■ sheet steel board	61		
■ surface mounting Mini Pragma	57		
T			
■ temperature derating	77		
■ thermoplastic board	62		
■ tripping curves	68		
■ thermal stress and peak limitation curves	69		
U			
■ use in 400 Hz	79		
V			
■ Vigi C60 module	29		
W			
■ weatherproof Mini Pragma	59		

Product denominations

A			
■ AMP, VLT, CMA	51		
■ AMP, VLT, FREQ	50		
■ ATLT, ATLZ, ATLC+s, ATLC+c, ATL4	36		
C			
■ C120H	12		
■ C120N	10		
■ C60H	8		
■ CT	38-80		
I			
■ I	40		
■ IC200, IC2000, IC2000P	46		
■ ICWo and ICWVs	48		
■ IH, IHH and IH	43		
■ IHP	45		
M			
■ Mini Pragma	56		
■ MN	66		
■ MX + OF	66		
N			
■ NC100L	18		
■ NC100LH	20		
O			
■ OF			
□ for C60, C120 and RCCB	66		
P			
■ Pragma	56		
R			
■ RCCB	24-28		
S			
■ SD for C60	66		
■ Sheet steel board	61		
T			
■ Thermoplastic board	62		
■ TI	49		
■ TL, TLI	32-82		
■ TLc, TLM, Tls	35		
■ Tm	16		
V			
■ V	42		
■ Vigi C60	29		
W			
■ Weatherproof Mini Pragma	59		

catalogue number index

10000

10235	simplified terminal block for Mini Pragma	60
10503	weatherproof enclosure, transp. wicket door	58
10504	weatherproof enclosure, transp. wicket door	58
10506	weatherproof enclosure, transp. wicket door	58
10508	weatherproof enclosure, transp. wicket door	58
10512	weatherproof enclosure, transp. wicket door	58

13000

13229	blanking plates for Pragma, RAL 9003	60
13275	label support sheet, Pragma	60
13301	enclosure, flush mounting, transp. door	56
13302	enclosure, flush mounting, transp. door	56
13303	enclosure, flush mounting, transp. door	56
13304	enclosure, flush mounting, transp. door	56
13305	enclosure, flush mounting, transp. door	56
13315	key lock for Pragma, 1 row and 2 rows	60
13317	sealing kit, Mini Pragma 1, 2, 3, R	60
13319	sealing kit, Mini Pragma (French)	60
13360	hollow partition flush mounting kit, Pragma	60
13361	terminal block for Mini Pragma, 95 mm	60
13362	terminal block for Mini Pragma, 105 mm	60
13363	terminal block for Mini Pragma, 140 mm	60
13364	terminal block for Mini Pragma, 210 mm	60
13365	terminal block for Mini Pragma, 90 mm	60
13366	enclosure, surface mounting, transp. door	57
13367	enclosure, surface mounting, transp. door	57
13368	enclosure, surface mounting, transp. door	57
13369	enclosure, surface mounting, transp. door	57
13370	enclosure, surface mounting, transp. door	57
13381	terminal block for Mini Pragma, 320 mm	60
13575	terminal block Pragma, 4 holes, 85 mm	60
13576	terminal block Pragma, 8 holes, 85 mm	60
13577	terminal block Pragma, 16 holes, 202 mm	60
13578	terminal block Pragma, 22 holes, 202 mm	60
13579	terminal block Pragma, 32 holes, 202 mm	60
13582	insulating cover for Pragma, green, 85 mm	60
13583	insulating cover for Pragma, green, 202 mm	60
13584	insulating cover for Pragma, red, 85 mm	60
13585	insulating cover for Pragma, red, 202 mm	60
13586	insulating cover for Pragma, blue, 85 mm	60
13587	insulating cover for Pragma, blue, 202 mm	60
13735	ordinary symbol plate, Pragma	60
13736	special symbol plate, Pragma	60
13922	enclosure, surface mounting, transp. door	57
13923	enclosure, surface mounting, transp. door	57
13942	enclosure, flush mounting, transp. door	56
13943	enclosure, flush mounting, transp. door	56

14000

14180	key lock for Pragma, 1 row and weatherproof	60
14185	sealing kit, weatherproof Mini Pragma	60
14190	bag for Pragma weatherproof	60
14855	blanking plates for Pragma, RAL 7035	60

15000

15009	I switches 1P, 32 A, 250 V AV	40
15010	I switches 2P, 32 A, 415 V AV	41
15011	I switches 3P, 32 A, 415 V AV	41
15012	I switches 4P, 32 A, 415 V AV	41
15014	I switches 2P, 63 A, 415 V AV	41
15015	I switches 3P, 63 A, 415 V AV	41
15016	I switches 4P, 63 A, 415 V AV	41
15019	I switches 4P, 40 A, 415 V AV	41
15020	I switches 2P, 40 A, 415 V AV	41
15023	I switches 3P, 40 A, 415 V AV	41
15093	I switches 4P, 100 A, 415 V AV	41
15106	complete V indicator light, 230 V AC, colourless	42
15107	complete V indicator light, red	42
15108	complete V indicator light, green	42
15109	complete V indicator light, yellow	42
15110	complete V indicator light, blue	42
15115	bulb (bag of 10), 230 V AC, colourless	42
15201	digital voltmeter 0-600 V	50
15202	digital voltmeter 0-10 A	50
15203	digital voltmeter 50/5 A TI	50
15204	digital voltmeter 100/5 A TI	50
15208	digital frequency meter 20-100 Hz	50
15268	wall cell for light sens. switch	47
15281	cell for light sensitive switch	47
15284	IC2000	46
15286	IC2000P	46
15341	accessories extra jumpers	44
15365	IH, 24h, reserve 150h, 1 channel	44
15366	IH, 24h + 7 days, reserve 150h	44
15367	IH, 7 days, reserve 150h	44
15368	IC2000	46
15409	ATLc+s, 1P, 130...240 V AV	37
15410	ATLc+c, 1P, 130...240 V AV	37
15411	ATLl, 1P, 24...240 V AV, 24...110 V DC	36
15412	ATL4, 1P, 230...240 V AV, 110 V DC	37
15413	ATLz, 1P, 130...240 V AV	36
15481	ICWc	48
15482	ICWv	48
15500	TL 16 A changeover relay, 230...240 V AV, 110 V DC	33
15502	TL 16 A changeover relay, 48 V AC, 24 V DC	33
15503	TL 16 A changeover relay, 24 V AC, 12 V DC	33
15505	ELT 32 A extensions, 230...240 V AV, 110 V DC	34
15510	TL 16 A impulse relay 1P, 230...240 V AV, 110 V DC	32
15510+ 15530	TL 16 A impulse relay 3P, 230...240 V AV, 110 V DC	33

15511	TL 16 A impulse relay 1P, 130 V AC, 48 V DC	32
15511+ 15531	TL 16 A impulse relay 3P, 130 V AV, 48 V DC	33
15512	TL 16 A impulse relay 1P, 48 V AC, 24 V DC	32
15512+ 15532	TL 16 A impulse relay 3P, 48 V AV, 24 V DC	33
15513	TL 16 A impulse relay 1P, 24 V AC, 12 V DC	32
15513+ 15533	TL 16 A impulse relay 3P, 24 V AV, 12 V DC	33
15514	TL 16 A impulse relay 1P, 12 V AC, 6 V DC	32
15514+ 15534	TL 16 A impulse relay 3P, 14 V AV, 6 V DC	33
15515	TL 32 A impulse relay 1P, 230...240 V AV, 110 V DC	33
15515 + 15505	TL 32 A impulse relay 2P, 230...240 V AV, 110 V DC	34
15515 + 2x15505	TL 32 A impulse relay 2P	34
15515 + 3x15505	TL 32 A impulse relay 2P	34
15516	TLm 16 A impulse relay, 1P, 230...240 V AV, 110 V DC	35
15517	TLs 16 A impulse relay, 1P, 230...240 V AV, 110 V DC	35
15518	TLc 16 A impulse relay, 1P, 230...240 V AV	35
15520	TL 16 A impulse relay 2P, 230...240 V AV, 110 V DC	32
15520 + 15530	TL 16 A impulse relay 4P, 230...240 V AV, 110 V DC	33
15521	TL 16 A impulse relay 2P, 130 V AC, 48 V DC	32
15521 + 15531	TL 16 A impulse relay 4P, 130 V AC, 48 V DC	33
15522	TL 16 A impulse relay 2P, 48 V AC, 24 V DC	32
15522 + 15532	TL 16 A impulse relay 4P, 48 V AC, 24 V DC	33
15523	TL 16 A impulse relay 2P, 24 V AC, 12 V DC	32
15523 + 15533	TL 16 A impulse relay 4P, 24 V AC, 12 V DC	33
15524	TL 16 A impulse relay 2P, 12 V AC, 6 V DC	32
15524 + 15534	TL 16 A impulse relay 4P, 12 V AC, 6 V DC	33
15525	TLc 16 A impulse relay, 1P, 24 V AC	35
15526	TLc 16 A impulse relay, 1P, 48 V AC	35
15530	ELT for 16 A TL and TLI, 230...240 V AV, 110 V DC	33
15531	ELT for 16 A TL and TLI, 130 V AC, 48 V DC	33
15532	ELT for 16 A TL and TLI, 48 V AC, 24 V DC	33
15533	ELT for 16 A TL and TLI, 24 V AC, 12 V DC	33
15534	ELT for 16 A TL and TLI, 12 V AC, 6 V DC	33
15720	24 hours/7 days IHP, memory space 28	45
15721	24 hours/7 days IHP, memory space 42	45
15956	CT 2P, 1NO+1NC, 16 A, 230...240 V AC	39
15958	CT 1P, 1NO, 25 A, 230...240 V AC	38
15959	CT 2P, 2NO, 25 A, 230...240 V AC	39
15966	CT 2P, 2NO, 40 A, 230...240 V AC	39

16000

16003	ammeter 72x72 3IN without dial	51
16006	ammeter dial 3IN for TC 30/5 A	51
16007	ammeter dial 3IN for TC 75/5 A	51
16008	ammeter dial 3IN for TC 200/5 A	51
16017	selector switch CMA 4 positions	51
16018	selector switch CMV 7 positions	51
16020	CT 2P, 2NO, 25 A, 24 V AC	39
16029	analogic ammeter 30 A	52
16030	ammeter 5 A without scare-plate	52
16031	scale-plate for ammeter 5 A	52
16032	scale-plate for ammeter TI 50 A	52
16033	scale-plate for ammeter TI 75 A	52
16034	scale-plate for ammeter TI 100 A	52
16060	analogic voltmeter 0-300V	52
16061	analogic voltmeter 0-500V	52
16201	ID, 2P BS EN 61008, 240 V, 25 A, 30 mA	24
16202	ID, 2P BS EN 61008, 240 V, 25 A, 300 mA	24
16204	ID, 2P BS EN 61008, 240 V, 40 A, 30 mA	24
16205	ID, 2P BS EN 61008, 240 V, 40 A, 100 mA	24
16206	ID, 2P BS EN 61008, 240 V, 40 A, 300 mA	24
16208	ID, 2P BS EN 61008, 240 V, 63 A, 30 mA	24
16209	ID, 2P BS EN 61008, 240 V, 63 A, 100 mA	24
16210	ID, 2P BS EN 61008, 240 V, 63 A, 300 mA	24
16212	ID, 2P BS EN 61008, 240 V, 80 A, 30 mA	24
16213	ID, 2P BS EN 61008, 240 V, 80 A, 100 mA	24
16214	ID, 2P BS EN 61008, 240 V, 80 A, 300 mA	24
16217	RCCB, 2P, 100 A, 100 mA, IEC 1008+BS	24
16234	RCCB-SI, 2P, 25 A, 30 mA	25
16237	RCCB-SI, 2P, 40 A, 30 mA	25
16240	RCCB-SI, 2P, 63 A, 30 mA	25
16246	RCCB-SI, 2P, 63 A, 300mA	25
16251	ID, 4P BS EN 61 008, 415 V, 25 A, 30 mA	25
16252	ID, 4P BS EN 61 008, 415 V, 25 A, 300 mA	25
16254	ID, 4P BS EN 61 008, 415 V, 40 A, 30 mA	25
16255	ID, 4P BS EN 61 008, 415 V, 40 A, 100 mA	25
16256	ID, 4P BS EN 61 008, 415 V, 40 A, 300 mA	25
16258	ID, 4P BS EN 61 008, 415 V, 63 A, 30 mA	25
16259	ID, 4P BS EN 61 008, 415 V, 63 A, 100 mA	25
16260	ID, 4P BS EN 61 008, 415 V, 63 A, 300 mA	25
16261	ID, 4P BS EN 61 008, 415 V, 80 A, 30 mA	25
16263	ID, 4P BS EN 61 008, 415 V, 80 A, 300 mA	25
16265	ID, 4P BS EN 61 008, 415 V, 63 A, 300mA	25
16266	ID, 4P BS EN 61 008, 415 V, 80 A, 300mA	25
16321	RCCB-SI, 4P, 25 A, 30 mA	25
16324	RCCB-SI, 4P, 40 A, 30 mA	25
16327	RCCB-SI, 4P, 63 A, 30 mA	25
16334	RCCB-SI, 4P, 63 A, 300mA	25
16501	standars TI without cover, 1 VA	49
16503	standars TI without cover, 2,5 VA	49
16505	standars TI without cover, 5 VA	49
16506	standars TI without cover, 7,5 VA	49

16900	RCCB-ID, 4P, 100 A, 30 mA	28
16901	RCCB-ID, 4P, 100 A, 100 mA	28
16905	RCCB-ID, 4P, 125 A, 30 mA	28
16906	RCCB-ID, 4P, 125 A, 100 mA	28
16907	RCCB-ID, 4P, 125 A, 300 mA	28
16908	RCCB-ID, 4P, 125 A, 500 mA	28
16940	OFFSP auxiliary contact	28

18000

18310	C60 circ. breaker remote control, 1-2P	17
18311	C60 circ. breaker remote control, 3-4P	17
18312	C120 circ. breaker remote control, 1-2P	17
18313	C120 circ. breaker remote control, 3-4P	17
18341	C120N, B curve, 1P, 80 A	11
18342	C120N, B curve, 1P, 100 A	11
18343	C120N, B curve, 1P, 125 A	11
18345	C120N, B curve, 2P, 80 A	11
18346	C120N, B curve, 2P, 100 A	11
18347	C120N, B curve, 2P, 125 A	11
18349	C120N, B curve, 3P, 80 A	11
18350	C120N, B curve, 3P, 100 A	11
18351	C120N, B curve, 3P, 125 A	11
18353	C120N, B curve, 4P, 80 A	11
18354	C120N, B curve, 4P, 100 A	11
18355	C120N, B curve, 4P, 125 A	11
18357	C120N, C curve, 1P, 80 A	11
18358	C120N, C curve, 1P, 100 A	11
18359	C120N, C curve, 1P, 125 A	11
18361	C120N, C curve, 2P, 80 A	11
18362	C120N, C curve, 2P, 100 A	11
18363	C120N, C curve, 2P, 125 A	11
18365	C120N, C curve, 3P, 80 A	11
18367	C120N, C curve, 3P, 100 A	11
18369	C120N, C curve, 3P, 125 A	11
18372	C120N, C curve, 4P, 80 A	11
18374	C120N, C curve, 4P, 100 A	11
18377	C120N, C curve, 4P, 125 A	11
18379	C120N, D curve, 1P, 80 A	11
18380	C120N, D curve, 1P, 100 A	11
18381	C120N, D curve, 1P, 125 A	11
18383	C120N, D curve, 2P, 80 A	11
18384	C120N, D curve, 2P, 100 A	11
18385	C120N, D curve, 2P, 125 A	11
18387	C120N, D curve, 3P, 80 A	11
18388	C120N, D curve, 3P, 100 A	11
18389	C120N, D curve, 3P, 125 A	11
18391	C120N, D curve, 4P, 80 A	11
18392	C120N, D curve, 4P, 100 A	11
18393	C120N, D curve, 4P, 125 A	11
18394	C120H, B curve, 1P, 10 A	13
18395	C120H, B curve, 1P, 16 A	13
18396	C120H, B curve, 1P, 20 A	13
18397	C120H, B curve, 1P, 25 A	13
18398	C120H, B curve, 1P, 32 A	13
18399	C120H, B curve, 1P, 40 A	13
18400	C120H, B curve, 1P, 50 A	13
18401	C120H, B curve, 1P, 63 A	13
18402	C120H, B curve, 1P, 80 A	13
18403	C120H, B curve, 1P, 100 A	13
18404	C120H, B curve, 1P, 125 A	13
18405	C120H, B curve, 2P, 10 A	13
18406	C120H, B curve, 2P, 16 A	13
18407	C120H, B curve, 2P, 20 A	13
18408	C120H, B curve, 2P, 25 A	13
18409	C120H, B curve, 2P, 32 A	13
18410	C120H, B curve, 2P, 40 A	13
18411	C120H, B curve, 2P, 50 A	13
18412	C120H, B curve, 2P, 63 A	13
18413	C120H, B curve, 2P, 80 A	13
18414	C120H, B curve, 2P, 100 A	13
18415	C120H, B curve, 2P, 125 A	13
18416	C120H, B curve, 3P, 10 A	13
18417	C120H, B curve, 3P, 16 A	13
18418	C120H, B curve, 3P, 20 A	13
18419	C120H, B curve, 3P, 25 A	13
18420	C120H, B curve, 3P, 32 A	13
18421	C120H, B curve, 3P, 40 A	13
18422	C120H, B curve, 3P, 50 A	13
18423	C120H, B curve, 3P, 63 A	13
18424	C120H, B curve, 3P, 80 A	13
18425	C120H, B curve, 3P, 100 A	13
18426	C120H, B curve, 3P, 125 A	13
18427	C120H, B curve, 4P, 10 A	13
18428	C120H, B curve, 4P, 16 A	13
18429	C120H, B curve, 4P, 20 A	13
18430	C120H, B curve, 4P, 25 A	13
18431	C120H	

catalogue number index

18450	C120H, C curve, 2P, 16 A	13	26946	MX + OF shunt trip release, 220...415 V AC, 110...130V DC	15-27
18451	C120H, C curve, 2P, 20 A	13	26948	MX + OF shunt trip release, 24 V AC, 24 V DC	15-27
18452	C120H, C curve, 2P, 25 A	13	26960	MN undervoltage release, instantaneous, 220...240 V AC	15-27
18453	C120H, C curve, 2P, 32 A	13	26963	MN undervoltage release, delayed $\overline{\text{S}}$, 220...240 V AC	27
18454	C120H, C curve, 2P, 40 A	13	27000		
18455	C120H, C curve, 2P, 50 A	13	27509	NC100LH, C curve, 1P, 10 A	20
18456	C120H, C curve, 2P, 63 A	13	27510	NC100LH, C curve, 1P, 16 A	20
18457	C120H, C curve, 2P, 80 A	13	27511	NC100LH, C curve, 1P, 20 A	20
18458	C120H, C curve, 2P, 100 A	13	27512	NC100LH, C curve, 1P, 25 A	20
18459	C120H, C curve, 2P, 125 A	13	27513	NC100LH, C curve, 1P, 32 A	20
18460	C120H, C curve, 3P, 10 A	13	27514	NC100LH, C curve, 1P, 40 A	20
18461	C120H, C curve, 3P, 16 A	13	27515	NC100LH, C curve, 1P, 50 A	20
18462	C120H, C curve, 3P, 20 A	13	27516	NC100LH, C curve, 1P, 63 A	20
18463	C120H, C curve, 3P, 25 A	13	27520	NC100LH, C curve, 2P, 10 A	20
18464	C120H, C curve, 3P, 32 A	13	27521	NC100LH, C curve, 2P, 16 A	20
18465	C120H, C curve, 3P, 40 A	13	27522	NC100LH, C curve, 2P, 20 A	20
18466	C120H, C curve, 3P, 50 A	13	27523	NC100LH, C curve, 2P, 25 A	20
18467	C120H, C curve, 3P, 63 A	13	27524	NC100LH, C curve, 2P, 32 A	20
18468	C120H, C curve, 3P, 80 A	13	27525	NC100LH, C curve, 2P, 40 A	20
18469	C120H, C curve, 3P, 100 A	13	27526	NC100LH, C curve, 2P, 50 A	20
18470	C120H, C curve, 3P, 125 A	13	27527	NC100LH, C curve, 2P, 63 A	20
18471	C120H, C curve, 4P, 10 A	13	27531	NC100LH, C curve, 3P, 10 A	21
18472	C120H, C curve, 4P, 16 A	13	27532	NC100LH, C curve, 3P, 16 A	21
18473	C120H, C curve, 4P, 20 A	13	27533	NC100LH, C curve, 3P, 20 A	21
18474	C120H, C curve, 4P, 25 A	13	27534	NC100LH, C curve, 3P, 25 A	21
18475	C120H, C curve, 4P, 32 A	13	27535	NC100LH, C curve, 3P, 32 A	21
18476	C120H, C curve, 4P, 40 A	13	27536	NC100LH, C curve, 3P, 40 A	21
18477	C120H, C curve, 4P, 50 A	13	27537	NC100LH, C curve, 3P, 50 A	21
18478	C120H, C curve, 4P, 63 A	13	27538	NC100LH, C curve, 3P, 63 A	21
18479	C120H, C curve, 4P, 80 A	13	27542	NC100LH, C curve, 4P, 10 A	21
18480	C120H, C curve, 4P, 100 A	13	27543	NC100LH, C curve, 4P, 16 A	21
18481	C120H, C curve, 4P, 125 A	13	27544	NC100LH, C curve, 4P, 20 A	21
18482	C120H, D curve, 1P, 10 A	13	27545	NC100LH, C curve, 4P, 25 A	21
18483	C120H, D curve, 1P, 16 A	13	27546	NC100LH, C curve, 4P, 32 A	21
18484	C120H, D curve, 1P, 20 A	13	27547	NC100LH, C curve, 4P, 40 A	21
18485	C120H, D curve, 1P, 25 A	13	27548	NC100LH, C curve, 4P, 50 A	21
18486	C120H, D curve, 1P, 32 A	13	27549	NC100LH, C curve, 4P, 63 A	21
18487	C120H, D curve, 1P, 40 A	13	27621	NC100L, C curve, 1P, 10 A	18
18488	C120H, D curve, 1P, 50 A	13	27622	NC100L, C curve, 1P, 16 A	18
18489	C120H, D curve, 1P, 63 A	13	27623	NC100L, C curve, 1P, 20 A	18
18490	C120H, D curve, 1P, 80 A	13	27624	NC100L, C curve, 1P, 25 A	18
18491	C120H, D curve, 1P, 100 A	13	27625	NC100L, C curve, 1P, 32 A	18
18492	C120H, D curve, 1P, 125 A	13	27626	NC100L, C curve, 1P, 40 A	18
18493	C120H, D curve, 2P, 10 A	13	27627	NC100L, C curve, 1P, 50 A	18
18494	C120H, D curve, 2P, 16 A	13	27628	NC100L, C curve, 1P, 63 A	18
18495	C120H, D curve, 2P, 20 A	13	27632	NC100L, C curve, 2P, 10 A	18
18496	C120H, D curve, 2P, 25 A	13	27633	NC100L, C curve, 2P, 16 A	18
18497	C120H, D curve, 2P, 32 A	13	27634	NC100L, C curve, 2P, 20 A	18
18498	C120H, D curve, 2P, 40 A	13	27635	NC100L, C curve, 2P, 25 A	18
18499	C120H, D curve, 2P, 50 A	13	27636	NC100L, C curve, 2P, 32 A	18
18500	C120H, D curve, 2P, 63 A	13	27637	NC100L, C curve, 2P, 40 A	18
18501	C120H, D curve, 2P, 80 A	13	27638	NC100L, C curve, 2P, 50 A	18
18502	C120H, D curve, 2P, 100 A	13	27639	NC100L, C curve, 2P, 63 A	18
18503	C120H, D curve, 2P, 125 A	13	27643	NC100L, C curve, 3P, 10 A	19
18504	C120H, D curve, 3P, 10 A	13	27644	NC100L, C curve, 3P, 16 A	19
18505	C120H, D curve, 3P, 16 A	13	27645	NC100L, C curve, 3P, 20 A	19
18506	C120H, D curve, 3P, 20 A	13	27646	NC100L, C curve, 3P, 25 A	19
18507	C120H, D curve, 3P, 25 A	13	27647	NC100L, C curve, 3P, 32 A	19
18508	C120H, D curve, 3P, 32 A	13	27648	NC100L, C curve, 3P, 40 A	19
18509	C120H, D curve, 3P, 40 A	13	27649	NC100L, C curve, 3P, 50 A	19
18510	C120H, D curve, 3P, 50 A	13	27650	NC100L, C curve, 3P, 63 A	19
18511	C120H, D curve, 3P, 63 A	13	27654	NC100L, C curve, 4P, 10 A	19
18512	C120H, D curve, 3P, 80 A	13	27655	NC100L, C curve, 4P, 16 A	19
18513	C120H, D curve, 3P, 100 A	13	27656	NC100L, C curve, 4P, 20 A	19
18514	C120H, D curve, 3P, 125 A	13	27657	NC100L, C curve, 4P, 25 A	19
18515	C120H, D curve, 4P, 10 A	13	27658	NC100L, C curve, 4P, 32 A	19
18516	C120H, D curve, 4P, 16 A	13	27659	NC100L, C curve, 4P, 40 A	19
18517	C120H, D curve, 4P, 20 A	13	27660	NC100L, C curve, 4P, 50 A	19
18518	C120H, D curve, 4P, 25 A	13	27661	NC100L, C curve, 4P, 63 A	19
18519	C120H, D curve, 4P, 32 A	13			
18520	C120H, D curve, 4P, 40 A	13			
18521	C120H, D curve, 4P, 50 A	13			
18522	C120H, D curve, 4P, 63 A	13			
18523	C120H, D curve, 4P, 80 A	13			
18524	C120H, D curve, 4P, 100 A	13			
18525	C120H, D curve, 4P, 125 A	13			
26000					
26581	Vigi C60 module, AC class, 2P <25A, 220...415 V AC, 30 mA	29			
26582	Vigi C60 module, AC class, 2P <25A, 220...415 V AC, 100 mA	29			
26583	Vigi C60 module, AC class, 2P <25A, 100 mA	29			
26595	Vigi C60 module, AC class, 4P <25A, 220...415 V AC, 30 mA	29			
26596	Vigi C60 module, AC class, 4P <25A, 220...415 V AC, 100 mA	29			
26597	Vigi C60 module, AC class, 4P <25A, 300 mA	29			
26611	Vigi C60 module, AC class, 2P <63A, 220...415 V AC, 30 mA	29			
26612	Vigi C60 module, AC class, 2P <63A, 220...415 V AC, 100 mA	29			
26613	Vigi C60 module, AC class, 2P <63A, 300 mA	29			
26643	Vigi C60 module, AC class, 4P <63A, 220...415 V AC, 300 mA	29			
26644	Vigi C60 module, AC class, 4P <63A, 220...415 V AC, 100 mA	29			
26645	Vigi C60 module, AC class, 4P <63A, 300 mA	29			
26923	OFS auxiliary switch	27			
26924	OF auxiliary switch	15			
26927	SD fault indicating switch	15-27			
26929	OF + SD/OF auxiliary contact	15-27			

